



TRONIX
2014

ÜNNEPI DEKORÁCIÓS VILÁGÍTÁS

Glamour Light - Fénykábel

Modular Lighting Connection System 230V

Cord Light - Fényfüzerek

Tree Light 24V & 230V - Fa dekoráció (dobozos)

Peak Light - Jégcsapfüggöny (dobozos)

Cord Light - Dobozos fényfüzér szett

Cord Light Modular 24V

Cascade Light - Fényfüggöny (dobozos)

Web Light - Fényháló (dobozos)

Round Net Light - Kör alakú fényháló

Snow Bar & Snow Cluster Light - Ledes hóesés

Chasy Light - Girlandfüzér (dobozos)

Cluster Light - Girlandfüzér (dobozos)

Basic Line - Fényfüzér

Flower Lights - Csokor világítók



















Motifs - Motívumok

Flat Cable & Belt Light - "Party Világítás"

Fényforrások (Belt Lighthoz)



Contents

● ROPE LIGHT		2
● MODULAR LIGHTING CONNECTION SYSTEM		19
● CORD LIGHT PROFESSIONAL		26
● TREE LIGHT 24V & 230V		36
● PEAK LIGHT		38
● CORD LIGHT		42
● CORD LIGHT MODULAR 24V		45
● CASCADE LIGHT		48
● WEB LIGHT		49
● ROUND NET LIGHT		51
● SNOW BAR & SNOW CLUSTER LIGHT		52
● CHASY LIGHT		53
● CLUSTER LIGHT		55
● BASIC LINE		56
● FLOWER LIGHTS		60
● MOTIFS		62
● FLAT CABLE & BELT LIGHT		65
● LAMPS (FOR BELT LIGHT)		67

TRONIX ROPE LIGHT

Rope Light is designed for decorative lighting purposes and makes a perfect outlining tool. It is an easy and cost-effective solution for a broad range of applications: from small accent lighting tasks to eye-catching party and event lighting effects.


Tronix Rope Light is available in LED or incandescent, low and high voltage, 2 or 3 wire rope and offers a wide range of style and colors. LED rope light is just as bright as incandescent rope light, but uses two-thirds less energy and offers a large choice in colors. Tronix Rope Light includes a power cable and is equipped with a clear PVC tubing.

CONTROLLERS AND ACCESSORIES

Our wide selection of Rope Light accessories stands for custom-made solutions and a wide range of installation possibilities. 2 or 3 wire controllers are available to create flash or chase light.

Note: All 12 and 24 volt rope lights require a transformer





LED ROPE LIGHT 12V WHITE

15 meter roll

Ordercode: 045-001
Code: TRO L-DL-2W-15M-12V-W
Color: White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V WARM WHITE

15 meter roll

Ordercode: 045-008
Code: TRO L-DL-2W-15M-12V-WW
Color: Warm White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V BLUE

15 meter roll

Ordercode: 045-002
Code: TRO L-DL-2W-15M-12V-B
Color: Blue
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V GREEN

15 meter roll

Ordercode: 045-003
Code: TRO L-DL-2W-15M-12V-G
Color: Green
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V RED

15 meter roll

Ordercode: 045-004
Code: TRO L-DL-2W-15M-12V-R
Color: Red
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5

Rope Light

LED ROPE LIGHT 12V YELLOW

15 meter roll



Ordercode: 045-005
Code: TRO L-DL-2W-15M-12V-Y
Color: Yellow
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5

LED ROPE LIGHT 24V WHITE

30 meter roll



Ordercode: 050-001
Code: TRO L-DL-2W-30M-24V-W
Color: White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V WARM WHITE

30 meter roll



Ordercode: 050-008
Code: TRO L-DL-2W-30M-24V-WW
Color: Warm White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V BLUE

30 meter roll



Ordercode: 050-002
Code: TRO L-DL-2W-30M-24V-B
Color: Blue
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V GREEN

30 meter roll



Ordercode: 050-003
Code: TRO L-DL-2W-30M-24V-G
Color: Green
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V RED

30 meter roll

Ordercode: 050-004
Code: TRO L-DL-2W-30M-24V-R
Color: Red
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V YELLOW

30 meter roll

Ordercode: 050-005
Code: TRO L-DL-2W-30M-24V-Y
Color: Yellow
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE - 10MM

51 meter roll

Ordercode: 055-051
Code: TRO L-ML-2W-51M-230V-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WARM WHITE - 10MM

51 meter roll

Ordercode: 055-058
Code: TRO L-ML-2W-51M-230V-WW
Color: Warm White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE

51 meter roll

Ordercode: 055-001
Code: TRO L-DL-2W-51M-230V-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light




LED ROPE LIGHT 230V WARM WHITE

51 meter roll

Ordercode: 055-008
Code: TRO L-DL-2W-51M-230V-WW
Color: Warm White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 230V BLUE

51 meter roll

Ordercode: 055-002
Code: TRO L-DL-2W-51M-230V-B
Color: Blue
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 230V GREEN

51 meter roll

Ordercode: 055-003
Code: TRO L-DL-2W-51M-230V-G
Color: Green
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V RED

50 meter roll

Ordercode: 055-004
Code: TRO L-DL-2W-51M-230V-R
Color: Red
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V YELLOW

50 meter roll

Ordercode: 055-005
Code: TRO L-DL-2W-51M-230V-Y
Color: Yellow
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V MULTI COLOR

50 meter roll

Ordercode: 055-000

Code: TRO L-DL-2W-51M-230V-MC

Color: Multi Color

Input: 230V

Power: 2,4 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 200cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V HORIZONTAL WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-101

Code: TRO

Color: White

Input: 230V

Power: 2,7 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 100cm

LED p/meter: 30

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V HORIZONTAL WARM WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-108

Code: TRO

Color: Warm White

Input: 230V

Power: 2,7 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 100cm

LED p/meter: 30

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1

Rope Light



LED 3 WIRE ROPE LIGHT 230V WHITE

99 meter roll

Ordercode: 060-001

Code: TRO L-DL-3W-99M-230V-W

Color: White

Input: 230V

Power: 3,2 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm


Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V BLUE

99 meter roll

Ordercode: 060-002

Code: TRO L-DL-3W-99M-230V-B

Color: Blue

Input: 230V

Power: 3,2 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm


Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V GREEN

99 meter roll

Ordercode: 060-003

Code: TRO L-DL-3W-99M-230V-G

Color: Green

Input: 230V

Power: 3,2 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm


Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V RED

99 meter roll

Ordercode: 060-004

Code: TRO L-DL-3W-99M-230V-R

Color: Red

Input: 230V

Power: 2,4 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm

Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V YELLOW

99 meter roll

Ordercode: 060-005

Code: TRO L-DL-3W-99M-230V-Y

Color: Yellow

Input: 230V

Power: 2,4 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm

Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 12V CLEAR

45 meter roll

Ordercode: 470-001
Code: TRO DL-2W-45M12VCL
Color: Clear
Input: 12V
Power: 7,63 Watt/meter

Length: 45 meter
Max. length: 10 meter
Diameter: 13mm
Cutting length: 11cm

Bulbs p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 24V CLEAR

45 meter roll

Ordercode: 475-001
Code: TRO DL-2W-45M24VCL
Color: Clear
Input: 24V
Power: 7,63 Watt/meter

Length: 45 meter
Max. length: 20 meter
Diameter: 13mm
Cutting length: 22cm

Bulbs p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

9 meter roll

Retail pack

Ordercode: 480-019
Code: TRO DL-2W-9M-230V-CL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 9 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

15 meter roll

Retail pack

Ordercode: 480-020
Code: TRO DL-2W-15M-230V-CL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 15 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

45 meter roll

Ordercode: 480-030
Code: TRO DL-2W-45M-230VCL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Bulbs type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 230V BLUE

45 meter roll

Ordercode: 480-035
Code: TRO DL-2W-45M-230VBL
Color: Blue
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V GREEN

45 meter roll

Ordercode: 480-040
Code: TRO DL-2W-45M-230VGR
Color: Green
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V RED

45 meter roll

Ordercode: 480-045
Code: TRO DL-2W-45M-230VRD
Color: Red
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V YELLOW

45 meter roll

Ordercode: 480-050
Code: TRO DL-2W-45M-230VYE
Color: Yellow
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MULTI-COLOR

45 meter roll

Ordercode: 480-060
Code: TRO DL-2W-45M-230VMC
Color: Multi Color
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 230V ORANGE

45 meter roll

Ordercode: 480-055
Code: TRO DL-2W-45M-230VOR
Color: Orange
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MILKY WHITE

45 meter roll

Ordercode: 480-075
Code: TRO DL-2W-45M-230VMW
Color: Milky White
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Accessories for 13mm Rope Light



PVC CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Ordercode: 485-160
Code: TRO DL-2W-CH-PVC

Length: 200cm

Bunch Quantity: 50



PET CHANNEL FOR 13MM ROPE LIGHT - UV RESISTANT

2 meter length

Pet is resistant against UV, chlorine and salt water, and impact resistant.

Ordercode: 485-165
Code: TRO DL-2W-CH-PET

Length: 200cm

Bunch Quantity: 50



ALUMINIUM CHANNEL FOR 13MM ROPE LIGHT

2 meter length






Always keep 4mm space between each 2M channel. Channel will extend when getting warm.

Ordercode: 485-170
Code: TRO DL-2W-CH-ALU

Length: 200cm

Bunch Quantity: 25

Accessories for 13mm Rope Light

	<p>LED POWER CABLE 13MM OUTDOOR WITH PLUG AND END CAP for 230V LED Rope Light</p> <p>Ordercode: 065-005 Length: 150cm Code: TRO L-DLG-2W-1-6-3.5</p> <p>Plug type: Schuko ungrounded IP Rate: IP44 Carton Quantity: 50</p> <p>With UK plug: 065-006 EAN: 8714984901155 With Swiss plug: 065-007 EAN: 8714984051713</p>
	<p>LED & CONVENTIONAL POWER CABLE 13MM OUTDOOR WITHOUT CONVERTER WITH STRIPED WIRE AND END CAP for 12V & 24V LED and conventional Rope Light</p> <p>Ordercode: 065-010 Length: 150cm Code: TRO L-DLG-2W-12/24V</p> <p>Cable type: Striped Wire IP Rate: IP44 Carton Quantity: 50</p>
	<p>CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP AND GLUE - RETAIL PACK WITH TOPCARD for conventional Rope Light 13mm</p> <p>Ordercode: 485-015 Length: 150cm Code: TRO DLG-2W-1-6'-3.5 GLUE</p> <p>Plug type: Schuko ungrounded IP Rate: IP44 Carton Quantity: 50</p>
	<p>CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP BULK PACKAGING for conventional Rope Light 13mm</p> <p>Ordercode: 485-020 Length: 150cm Code: TRO DLG-2W-1-6-3.5 BULK</p> <p>Plug type: Schuko ungrounded IP Rate: IP44 Carton Quantity: 50</p> <p>With UK plug: 485-030 EAN: 8714984001466 With Swiss plug: 485-031 EAN: 8714984910058</p>
	<p>POWER CABLE 13MM OUTDOOR WITH END CAP 5 METER BULK PACKAGING for conventional Rope Light 13mm</p> <p>Ordercode: 485-025 Length: 500cm Code: TRO DLG-2W-1-15'-3.5</p> <p>Plug type: Schuko ungrounded IP Rate: IP44 Carton Quantity: 30</p>

Accessories for 13mm Rope Light




POWER CABLE 13MM INDOOR WITH END CAP - RETAIL PACK WITH TOPCARD

for conventional Rope Light 13mm

Ordercode: 485-010
Code: TRO DL-2W-1-6'-3.5

Length: 150cm

Plug type: Euro
IP Rate: IP20
Carton Quantity: 60



2 SPLICE CONNECTORS WITH GLUE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-050
Code: TRO DL-2W-CON-2

IP Rate: IP44
Box Quantity: 50x 2pcs



GLUE BOTTLE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-055
Code: TRO DL-2W-GLBT

Bag Quantity: 1



CROCODILE CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-060
Code: TRO DL-2W-8-25

Box Quantity: 50x 25pcs



MOUNTING CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-070
Code: TRO DL-2W-5-25

Box Quantity: 100x 25pcs

Accessories for 13mm Rope Light



INVISIBLE SPLICE CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-085
Code: TRO DL-2W-7-H

Bag Quantity: 100



MALE PIN CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-090
Code: TRO DL-2W-4M

Bag Quantity: 100



END CAP

for conventional and LED Rope Light 13mm

Ordercode: 485-100
Code: TRO DL-2W-6

Bag Quantity: 100



T CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-105
Code: TRO DL-2W-TCE

IP Rate: IP44
Bag Quantity: 1



X CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-110
Code: TRO DL-2W-XCE

IP Rate: IP44
Bag Quantity: 1

Accessories for 13mm Rope Light



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode: 485-113
Code: TRO DL-2W-HSTGL-20x4
Color: Clear

Box Quantity: 100x 10pcs



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH INSIDE GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode: 485-116
Code: TRO DL-2W-HSTGL-20X4B
Color: Black

Box Quantity: 100x 10pcs



CONTROLLER 2 WIRES 1 CIRCUIT FLASHING

for conventional Rope Light 13mm

Ordercode: 545-005
Code: TRO SL-2DL-212A

IP Rate: IP44
Carton Quantity: 1

Accessories for 3 wire Rope Light



LED CONTROLLER 3 WIRES 230 VOLT WITH 8 FUNCTIONS

for 3 wire LED Rope Light 13mm

Ordercode: 214-007
Code: TRO L-CNTR-DL-3W 8

IP Rate: IP44
Carton Quantity: 1



POWER/EXTENSION CABLE 3 METER 2X FEMALE

for 3 wire LED Rope Light 13mm - Can also be used as a power cable between 3 wire ropel. and controller (cut into 2 pieces). Use together with power screw connector 495-010

Ordercode: 495-005
Code: TRO DLG-3W-1-3M-FF

IP Rate: IP44
Carton Quantity: 30

Accessories for 3 wire Rope Light



POWER SCREW CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-010

Code: TRO DL-3W-4

IP Rate: IP44

Bag Quantity: 1



MALE PIN CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-015

Code: TRO DL-3W-4M

IP Rate: IP44

Bag Quantity: 10



INVISIBLE SPLICE CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-020

Code: TRO DL-3W-7

IP Rate: IP44

Bag Quantity: 10



X CONNECTOR

with glue

for 3 wire LED Rope Light 13mm

Ordercode: 495-035

Code: TRO DL-3W-XCE

IP Rate: IP44

Bag Quantity: 1

Accessories for 10mm Rope Light

	<p>LED POWER CABLE 10MM OUTDOOR WITH PLUG AND END CAP for LED Rope Light 10mm</p> <p>Ordercode: 065-015 Code: TRO L-MLG-2W-1-6-2.5</p> <p>Length: 150cm</p> <p>Cable type: Schuko ungrounded IP Rate: IP44 Carton Quantity: 50</p>
	<p>ENDCAP 10MM for LED Rope Light 10mm</p> <p>Ordercode: 465-030 Code: TRO ML-2W-6</p> <p>Bag Quantity: 100</p>
	<p>CROCODILE CLIP 10MM for LED Rope Light 10mm</p> <p>Ordercode: 465-035 Code: TRO ML-2W-8</p> <p>Bag Quantity: 1</p>

Rope Light

GENERAL INSTRUCTIONS FOR USING ROPE LIGHT

1. Make sure the power is switched off during installation. Never connect the mains voltage while the light tube is still on the reel; the heat development can cause fire. Never cover the light tube while lit.
2. Check whether the mains voltage of the Rope Light corresponds with the mains voltage of the power supply.
3. For LED Rope Light 230V and low voltage connected to a transformer, always use a power cable with converter, otherwise the LEDs will flicker. For low voltage it is best to use a stabilized DC power supply in which case you don't need a converter.
4. Only cut the Rope Light at the identification mark, otherwise part of the tube will be permanently useless. Make absolutely sure that the mains voltage is not connected. Use a pair of sharp cutting pliers and make sure the edge is smooth and at the right angles.
5. Mains supply cable and connectors.
6. Always seal the end of a (cutted) cable with an end cap, which must be glued on with pvc or silicon glue.

7. Assembly

Assemble the Rope Light in such a way that there is sufficient ventilation and the heat can flow off. Do not assemble on surfaces that can vibrate or rattle violently due to severe wind. Decorations that are spanned over the road or are applied at shopping centers must be allowed some movement with the wind. Assemble the tube face front (the part producing the most light) and only cut the rope light per complete unit and at the identification marks such as shown in the following diagram.

8. Installation

Depending on the specific circumstances different fixing material are available. Use tie-wraps along a steel wire or preshaped frame; for outdoor usage take the UV-durable quality. An aluminium channel is available for straight lines such as PVC, PET. Crocodile clips and mounting clips can be used for both straight and bent lines. Affixation distance: the recommended distance for clips and bundling straps; horizontal 20 cm and vertical 30 cm. Make sure the Rope Light is not twisted.

9. Expansion


Aluminium channels have a coefficient of expansion, meaning that the difference in length per 2 meter can increase with several millimeters. Make sure to keep about 4mm of space between two channels.

10. Preheating and use

It is important to preheat Rope Light (especially at low outside temperatures) before starting to use the material. You can do this by connecting the required length to the mains supply, allowing the Rope Light to burn for a couple of minutes until it is flexible. Especially when making bends it is very important to preheat the rope. Disconnect the mains supply before starting the assembly. Always unwind Rope Light from the reel, this prevents loops or swaying which could damage the internal wiring.

11. Bending

It is very important to bend Rope Light perpendicular - straight up or down - at the wires. Make absolutely sure to bend rope light in the right direction, up or down, making sure that the two internal wires make the same curve. Avoid at all times that one of the two wires (the inner side one) needs to make a very sharp curve because of wrong bending. Bending rope light incorrectly can cause damage to the internal wiring. Please see drawing below for illustration.



12. Please always read the user manual carefully before installation.
A User Manual for Rope Light is supplied with delivery or can be downloaded on our website www.tronix.nl



Modular Lighting Connection System



MODULAR LIGHTING CONNECTION SYSTEM™

ENDLESS POSSIBILITIES TO CREATE YOUR OWN
CORD LIGHT, CASCADE LIGHT OR PEAK LIGHT



proSYSTEM
LED 230V

Compose your own custom-made lighting product and discover what you can do with the unique Modular Lighting Connection System by Tronix.

Just choose your outdoor application, make a product selection from our extensive range of light strings & accessories, and simply link everything together in any desired way to create the lighting effect you all looking for. The results are just all up to your own imagination!


Modular Lighting Connection System




Department store in London, project by Umbrella International Ltd. UK

Modular Lighting Connection System

CHOOSE YOUR APPLICATION:




CASCADE LIGHT POSSIBILITIES:




Accessories:

Tronix offers a wide range of accessories like power cables, extension cables, connectors etc.

CORD LIGHT POSSIBILITIES:




PEAK LIGHT POSSIBILITIES:





Cascade Light and Cord Light Strings

Connectable Cascade/Cord Light Strings – 10m or 6m



10,0 METER STRING (CONNECTABLE)

Input:	230V	No. of strings:	1
LED Quantity:	100 per string	Power Cable:	not included
Length:	10 meter	Carton	
IP Rate:	IP44	Quantity:	6
Power:	7,5 Watt		


ORDERCODE:	LED COLOR:	WIRE COLOR:
010-151	White	Black
010-158	Warm White	Black
010-161	White	White
010-168	Warm White	White
010-169	Warm White (90) & Warm White Twinkle (10)	White
010-152	Blue	Black
010-154	Red	Black
010-166	White & Blue	White
010-167	White & Blue	Black
010-165	Warm White	Black

6,0 METER STRING (CONNECTABLE)

Input:	230V	No. of strings:	1
LED Quantity:	60 per string	Power Cable:	not included
Length:	6 meter	Carton	
IP Rate:	IP44	Quantity:	6
Power:	4,8 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-211	White	Black
010-218	Warm White	Black
010-212	Blue	Black
010-213	Green	Black
010-214	Red	Black
010-215	Yellow	Black
010-219	White & Blue	Black
010-221	White	White
010-228	Warm White	White
010-229	White & Blue	White
010-230	Warm White (54) & Warm White Twinkle (6)	White

Non-connectable Cascade/Cord Light String – 3m




3,0 METER STRING (NOT CONNECTABLE)

Input:	230V	No. of strings:	1
LED Quantity:	30 per string	Power Cable:	not included
Length:	3 meter	Carton	
IP Rate:	IP44	Quantity:	6
Power:	2,4 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-111	White	Black
010-118	Warm White	Black
010-121	White	White
010-123	White (27) & White Twinkle (3)	White
010-128	Warm White	White
010-129	Warm White (27) & Warm White Twinkle (3)	White

Non-connectable Cascade Light Strings – in 1,5m and 0,8m


ORDERCODE:	DESCRIPTION	LENGTH	LED QTY	WATT	IP
010-175	0,8m Cascade (end) String 230V, Warm White, White wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-176	0,8m Cascade (end) String 230V, Warm White, Black wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-172	1,5m Cascade (end) String 230V, Warm White, Black wire	2 strings à 1,5m	15 per string	2,4W	IP44
010-171	1,5m Cascade (end) String 230V, Warm White, White wire	2 strings à 1,5m	15 per string	2,4W	IP44



Snowfall Strings and Waterfall Strings

Non-Connectable

Snowfall in 0,6m, 0,9m and 1,2m
Waterfall in 3m and 5m



SNOWFALL STRING (NOT CONNECTABLE)

Input:	230V	No. of strings:	2
LED Color:	White	Power Cable:	not included
Wire Color:	White	Carton	
IP Rate:	IP44	Quantity:	1

ORDERCODE:	LENGTH:	LED QTY:	POWER:
010-180	60cm	60	3,9 Watt
010-181	90cm	90	5,8 Watt
010-182	120cm	120	9,6 Watt


WATERFALL STRING (NOT CONNECTABLE)

Input:	230V	Power Cable:	not included
LED Color:	White	Carton	
Wire Color:	Transparent	Quantity:	1
IP Rate:	IP44		

ORDERCODE:	LENGTH:	LED QTY:	POWER:	NO. STRINGS:
010-190	3m	60	3,9 Watt	2
010-191	5m	100	7,7 Watt	1

Peak Light


Connectable Strings 2m x 0,4m and 2m x 0,8m



PEAK LIGHT 2 METER X 0,4 METER (CONNECTABLE)

Input:	230V	No. of strings:	20
LED Quantity:	76 per set	Power Cable:	not included
Length:	2 m x 0,4 m	Carton	
IP Rate:	IP44	Quantity:	5
Power:	6 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-008	Warm White	Black
006-018	Warm White	White
006-140	White	White
006-028	White (72) + White Twinkle (4)	White
006-112	White & Blue	White



PEAK LIGHT 2 METER X 0,8 METER (CONNECTABLE)

Input:	230V	No. of strings:	20
LED Quantity:	152 per set	Power Cable:	not included
Length:	2 m x 0,8 m	Carton	
IP Rate:	IP44	Quantity:	5
Power:	12 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-048	Warm White	Black
006-058	Warm White	White
006-041	White & Blue	White
006-132	White (144) + White Twinkle (8)	White

Accessories

POWER CABLES

Input: 230V
Length: 1,5 meter
IP Rate: IP44
Carton Quantity: 5



ORDERCODE:	DESCRIPTION:	WIRE COLOR:
010-012	EU PLUG 2 AMPERE (6.000 LED)	White
010-013	EU PLUG 2 AMPERE (6.000 LED)	Black
010-020	EU PLUG 5 AMPERE (15.000 LED)	White
010-019	EU PLUG 5 AMPERE (15.000 LED)	Black

EXTENSION CABLES

IP Rate: IP44
Carton Quantity: 5



ORDERCODE:	LENGTH	WIRE COLOR
010-200	0,5 Meter	White
010-201	0,5 Meter	Black
010-202	1 Meter	White
010-203	1 Meter	Black
010-204	2 Meter	White
010-205	2 Meter	Black
010-206	3 Meter	White
010-207	3 Meter	Black
010-208	5 Meter	White
010-209	5 Meter	Black

CONNECTORS

IP Rate: IP44



ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-022	T connector 25cm	White	5
010-023	T connector 25cm	Black	5
010-005	T connector 2pcs retail pack	White	1
010-004	T connector 2pcs retail pack	Black	1
010-007	5 way connector string 1 meter	White	5
010-006	5 way connector string 1 meter	Black	5
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5

CASCADE MAIN CABLES

IP Rate: IP44


ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-115	Main Cable 5 meter with 5 sockets	Black	5
010-113	Main Cable 60cm with 6 sockets	White	5
010-114	Main Cable 60cm with 6 sockets	Black	5
010-105	Main Cable 120cm with 12 sockets	White	4
010-106	Main Cable 120cm with 12 sockets	Black	4
010-107	Main Cable 240cm with 24 sockets	White	2
010-108	Main Cable 240cm with 24 sockets	Black	2
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5



SPECIAL ACCESSORIES

Input: 230V

ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-197	Ropelight Converter - to connect 13mm rope-light, 15cm length, including shrinking tube.	Black	5
010-109	Cone Light CON string with 10 connector strings, each string 30cm length,	Black	5



Ropelight converter connector




Cone Light connector string



Cord Light Introduction


CORD LIGHT PROFESSIONAL

4 types of LED Cord Light Professional:




1. CORD LIGHT REGULAR

Cord Light Regular with 30mm side branch is available in 12 & 24 Volt. The long length makes it perfect for decorating bigger trees. Available for indoor and outdoor use.



2. CORD LIGHT IN-LINE

Cord Light in-line with 5mm LED is available in 12 & 24 Volt. The in-line LED's are perfect to follow branches. Available for indoor and outdoor use.



3. GARLAND CORD LIGHT



Garland Cord Light with 70mm side branch is available for in- and outdoor applications. The extensive length and long side branches are ideal for decorating (bigger) garlandes. Available for indoor and outdoor use.



4. CLIP LIGHT


Clip Light is perfect for decorating larger trees by following the branches.

** LED Clip Light 24V can be cut every 6 LED.*



Note:

Never wind the wire in this way around the branch, the branch will grow and break the wire. Better lead the wire in line with the branch and use a rubber tie tube to keep the wire in place. Never use tie-wrap, as this will kill the tree.






CORD LIGHT 12 VOLT FOR THE PERFECTIONIST:

Available in 30m and in different colors, led distance in 5 and 10cm. It can be cut every 3 LED's. That's why perfectionists love it.

Cord Light Professional Regular



30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - INDOOR USE

LEDs on 30mm side branch - indoor use

Green Wire

Ordercode: 020-008

Code: TRO L-PL-30-100-30-12V WWG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM




Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP20

Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-048

Code: TRO L-PL-30-100-12V WWG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM



Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 BLUE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-022

Code: TRO L-PL-30-100-12V BG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Blue

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM


Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 RED LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-004

Code: TRO L-PL-30-100-12V RG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Red

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM



Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-021

Code: TRO L-PL-63-150-30-24V WG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM

Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5


Cord Light Professional Regular

24V CORD LIGHT 63 METER IS POPULAR
FOR LARGE TREE DECORATION



Cord Light Professional

30mm branches



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDs - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-018

Code: TRO L-PL-63-150-30-24V WWG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM


Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE & BLUE LEDs - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-112

Code: TRO L-PL-63-150-30-WBG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: White and Blue

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM



Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 348 WARM WHITE AND 62 TWINKLE WW LEDs - OUTDOOR

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-068

Code: TRO L-PLT-63-150-30-24V WWG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM

Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44


Carton Quantity: 5



Cord Light Professional In-Line



In line



12V CORD LIGHT 30 METER WITH 600 WHITE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-011
Code: TRO L-PL-30-50-12V WT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 30 METER WITH 600 BLUE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-012
Code: TRO L-PL-30-50-12V BT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-001
Code: TRO L-PL-60-100-12V WT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-002
Code: TRO L-PL-60-100-12V BT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600


LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



TREE DECORATED WITH CORD LIGHT PROFESSIONAL IN-LINE OUTDOOR (SEE NEXT PAGE). PERFECT TO FOLLOW BRANCHES.

Cord Light Professional In-Line

In line



24V CORD LIGHT 63 METER WITH 420 WHITE LEDs - OUTDOOR USE



LEDs placed in line - outdoor use

Green Wire

Ordercode: 025-011
Code: TRO L-PL-63-150-24V WG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

In line



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDs - OUTDOOR USE

LEDs placed in line - outdoor use


Green Wire

Ordercode: 025-008
Code: TRO L-PL-63-150-24V WWG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional Garland Indoor

70mm branches



24V CORD LIGHT 60 METER WITH 600 WHITE LEDs - INDOOR USE


LEDs on 70mm side branch - indoor use

Green Wire

Ordercode: 026-011
Code: TRO L-PL-60-100-70-24V WGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 BLUE LEDs - INDOOR USE


LEDs on 70mm side branch - indoor use

Green Wire

Ordercode: 026-012
Code: TRO L-PL-60-100-70-24V BGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 AMBER LEDs - INDOOR USE

LEDs on 70mm side branch - indoor use

Green Wire


Ordercode: 026-016
Code: TRO L-PL-60-100-70-24V AGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Amber
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

Cord Light Professional Garland Outdoor



70mm branches



24V CORD LIGHT 60 METER WITH 600 WHITE LEDs - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-001

Code: TRO L-PL-60-100-70-24V WG

Input: 24 Volt

Power: 36 Watt

LED/Bulb Color: White

LED/Bulb Quantity: 600

LED Distance: 10CM

Cutting Distance: 60CM


Max. Meters to connect in one line: 60 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 BLUE LEDs - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-002

Code: TRO L-PL-60-100-70-24V BG

Input: 24 Volt

Power: 36 Watt

LED/Bulb Color: Blue

LED/Bulb Quantity: 600

LED Distance: 10CM

Cutting Distance: 60CM


Max. Meters to connect in one line: 60 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 AMBER LEDs - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-006

Code: TRO L-PL-60-100-70-24V AG

Input: 24 Volt

Power: 36 Watt

LED/Bulb Color: Amber

LED/Bulb Quantity: 600

LED Distance: 10CM

Cutting Distance: 60CM


Max. Meters to connect in one line: 60 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

Cord Light Professional Clip Light



24V LED CLIP LIGHT 63 METER WITH 420 WARM WHITE LEDs - OUTDOOR USE

Based on Clip Light - outdoor use

Green Wire

Ordercode: 025-108

Code: TRO L-CL63-150-24V WWG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM

Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

Cord Light Professional Accessories



DIVIDER 2 WAY, 1 MALE TO 2 FEMALE

5 pieces in bag, price pro 5 pieces

Ordercode: 535-005
Code: TRO CDL-2W

IP Rate: IP44
Carton Quantity: 1



DIVIDER 5 WAY, 1 MALE TO 5 FEMALE

2 pieces in bag, price pro 2 pieces

Ordercode: 535-020
Code: TRO CDL-5W

IP Rate: IP44
Carton Quantity: 1



EXTENSION CABLE 4 METER, BETWEEN POWER SUPPLY AND DIVIDER

2 pieces in bag, price pro 2 pieces

Ordercode: 535-025
Code: TRO EXT-4M

IP Rate: IP44
Carton Quantity: 1



MALE CONNECTOR 4MM RED

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-030
Code: TRO AMP-M-4MM R

IP Rate: IP44
Carton Quantity: 1



MALE CONNECTOR 4MM BLACK

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-031
Code: TRO AMP-M-4MM B

IP Rate: IP44
Carton Quantity: 1

Cord Light Professional Accessories



AMP CONNECTOR 2.3MM

to fix max. 4 cordlight together
100 pieces in a bag, price pro 100 pieces

Ordercode: 535-050
Code: TRO AMP-CON-2.3MM

IP Rate: IP44
Carton Quantity: 1



AMP CONNECTOR 4.2MM

to fix max. 8 cordlight together
25 pieces in a bag, price pro 25 pieces

Ordercode: 535-051
Code: TRO AMP-CON-4.2MM

IP Rate: IP44
Carton Quantity: 1



ELASTIC TIE TUBE 50 METER TO PROTECT THE TREE BRANCHES

Ordercode: 535-090
Code: TRO TT-50M

IP Rate: IP44
Carton Quantity: 1



POWER SUPPLY 12V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-310
Code: TRO SPS-30-30W
Input: 230V
Power: 30 Watt
Length: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 12V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-311
Code: TRO SPS-12-60W
Input: 230V
Power: 60 Watt
Length: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories



POWER SUPPLY 12V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-312
Code: TRO SPS-12-100W
Input: 230V
Power: 100 Watt
Length: 240mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw and AMP
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 12V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-314
Code: TRO SPS-12-200W
Input: 230V
Power: 200 Watt
Length: 230mm
Width: 130mm

Height: 60mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: 2 x DC Screw and 2 x AMP
IP Rate: IP67
Carton Quantity: 5



POWER SUPPLY 24V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-300
Code: TRO SPS-24-30W
Input: 230V
Power: 30 Watt
Length: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 24V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-301
Code: TRO SPS-24-60W
Input: 230V
Power: 60 Watt
Length: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 24V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-302
Code: TRO SPS-24-100W
Input: 230V
Power: 100 Watt
Length: 240mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw and AMP
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories



POWER SUPPLY 24V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-304

Code: TRO SPS-24-200W

Input: 230V

Power: 200 Watt

Length: 230mm

Width: 130mm

Height: 60mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: 2 x DC Screw
and 2 x AMP


IP Rate: IP67

Carton Quantity: 5



Tree at Tronix headquarters, decorated with art. 025-112

Tree Light 24V & 230V



TREE LIGHT SET WITH 4 STRINGS OF 7.5 METER - EACH STRING 50 WARM WHITE LEDS

Green Rubber - Extension cable (5m) included

For trees up to 4 Meter high

Ordercode: 024-018
Code: TRO L-LP-200-24V WWG
Input: 24V (Transf. Included)
Power: 15,4 Watt
LED Color: Warm White
LED Quantity: 200 LED in total

LED Distance: 15CM
Wire Color: Green
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 25 CAPSULES OF 3 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode: 024-048
Code: TRO LP-25-3-10M-230V
Input: 230V
Power: 9,2 Watt
LED Color: Warm White
LED Quantity: 25 Capsules with 3 LED each

LED Distance: 40CM
Max. to connect: 20 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode: 024-058
Code: TRO LP-50-5-10M-230V WW
Input: 230V
Power: 31 Watt
LED Color: Warm White
LED Quantity: 50 Capsules with 5 LED each

LED Distance: 25CM
Max. to connect: 10 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - White LED

Connectable up to 10 sets

Ordercode: 024-068
Code: TRO LP-50-5-10M-230V W
Input: 230V
Power: 31 Watt
LED Color: White
LED Quantity: 50 Capsules with 5 LED each

LED Distance: 25CM
Max. to connect: 10 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 63 METER ROLL WITH 420 WHITE LED (LP-420 SET)

Green Rubber - White LED

All accessoires included

Ordercode: 024-001
Code: TRO L-LP-420-24V WG
Input: 24V (Transf. Included)
Power: 25 Watt
LED Color: White
LED Quantity: 420 LED

LED Distance: 15CM
Max. to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

Tree Light 24V & 230V



TREE LIGHT SET 63 METER ROLL WITH 420 WARM WHITE LED (LP-420 SET)

Green Rubber - Warm White LED

All accesiores included

Ordercode: 024-002
Code: TRO L-LP-420-24V WWG
Input: 24V (Transf. Included)
Power: 25 Watt
LED Color: Warm White
LED Quantity: 420 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WHITE LED (LP-840 SET)

Green Rubber - White LED

All accesiores included

Ordercode: 024-003
Code: TRO L-LP-840-24V WG
Input: 24V (Transf. Included)
Power: 50 Watt
LED Color: White
LED Quantity: 840 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WARM WHITE LED (LP-840 SET)

Green Rubber - Warm White LED

All accesiores included

Ordercode: 024-004
Code: TRO L-LP-840-24V WWG
Input: 24V (Transf. Included)
Power: 50 Watt
LED Color: Warm White
LED Quantity: 840 LED


LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

Tree Light 24V & 230V



PEAK LIGHT RETAIL SETS

LED & TRADITIONAL



Peak Light offers endless decorating possibilities. It was developed and marketed by Tronix in 2000 and has proved to be a very successful product worldwide. Peak Light, now also commonly known as icicle light, is available in different models, such as with pvc and rubber cable, for indoor and outdoor use and comes in different colors. The different sets can be interconnected, so the possibilities are numerous.


Peak Light



(LED) Peak Light
in retail box.


Connectable Schuko EU power cable included with each set.

Available in 3 sizes:



ACCESSORIES

See chapter Modular Lighting Connection System on P23 for all available Peak Light accessories.




Total 20 Strings - 76 LED

2M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 76	Max. sets to connect: 30	IP Rate: IP44
Power: 6 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-008	TRO L-IPLR-20-76-B WW	Warm White	Black
005-018	TRO L-IPLR-20-76-W WW	Warm White	White
005-112	TRO L-IPLR-20-76-WBW	White & Blue	White
005-140	TRO L-IPLR-20-76-W W T	White & White Twinkle	White




Total 40 Strings - 152 LED

4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP44
Power: 12 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-048	TRO L-IPLR-40-152-B WW	Warm White	Black
005-058	TRO L-IPLR-40-152-W WW	Warm White	White
005-132	TRO L-IPLR-40-152-W BW	White & Blue	White




Total 20 Strings - 152 LED

2M X 80CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP44
Power: 12 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-028	TRO L-IPLR-20-152-B WW	Warm White	Black
005-038	TRO L-IPLR-20-152-W WW	Warm White	White
005-122	TRO L-IPLR-20-152-WBW	White & Blue	White
005-141	TRO L-IPLR-20-152-W W T	White & White Twinkle	White

Peak Light Indoor




Total 20 Strings - 152 LED

2M X 80CM **INDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP20
Power: 12 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-028	TRO L-IPLR-20-152-B WW	Warm White	Black

Peak Light Conventional




4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	Bulb Quantity: 152	Max. sets to connect: 10	IP Rate: IP44
Power: 68 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	BULB COLOR:	WIRE COLOR:
400-021	TRO IPLR-38-40-152B	Clear	Black




CORD LIGHT RETAIL SETS



Cord Light



Strings available in 6M and 10M length:




(LED) Cord Light in retail box.

Connectable (Schuko EU power cable included with each set).
Different sizes for indoor and outdoor available.

ACCESSORIES

See chapter Modular Lighting Connection System on P23 for all available Cord Light accessories.



Total 60 LED

6M **INDOOR** GENERAL SPECIFICATIONS

Input: 230V

LED Quantity: 60

Max. sets to connect: 20

IP Rate: IP20

Power: 5,3 Watt

LED Spacing: 10cm


Power Cable: 1,50M (included)

Carton Quantity: 10

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
015-008	TRO L-PL-60-6M-230V-WW	Warm White	Green
015-058	TRO L-PL-60-6M-230V-W WW	Warm White	White
015-001	TRO L-PL-60-6M-230V-W	White	White
015-002	TRO L-PL-60-6M-230V-B	Blue	Green
015-003	TRO L-PL-60-6M-230V-G	Green	Green
015-004	TRO L-PL-60-6M-230V-R	Red	Green
015-005	TRO L-PL-60-6M-230V-Y	Yellow	Green

Cord Light






Total 60 LED

6M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 60	Max. sets to connect: 20	IP Rate: IP44
Power: 5,3 Watt	LED Spacing: 10cm	Power Cable: 1,50M (included)	Carton Quantity: 10

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
015-018	TRO L-PLR-60-6M-230V-WW	Warm White	Green
015-011	TRO L-PLR-60-6M-230V-W	White	Green
015-012	TRO L-PLR-60-6M-230V-B	Blue	Green
015-013	TRO L-PLR-60-6M-230V-G	Green	Green
015-014	TRO L-PLR-60-6M-230V-R	Red	Green
015-015	TRO L-PLR-60-6M-230V-Y	Yellow	Green




Total 100 LED

10M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 100	Max. sets to connect: 10	IP Rate: IP44
Power: 8 Watt	LED Spacing: 10cm	Power Cable: 1,50M (included)	Carton Quantity: 10


ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
015-021	TRO L-PLR-100-10M-230V-W	White	Green
015-028	TRO L-PLR-100-10M-230V-WW	Warm White	Green
015-029	TRO L-PLR-100-10M-230V-WB	White & Blue	White
015-039	TRO L-PLR-100-10M-230V-G-WB	White & Blue	Green
015-024	TRO L-PLR-100-10M-230V-R	Red	Green

LED CORD LIGHT MODULAR LOW VOLTAGE CORD LIGHT SET



FOR OUTDOOR USE

- Easy to use, plug & play system
- Very safe, low voltage 24V
- Connectable at two sides (in and out)
- Create your own light string by choosing length and color





Cord Light Modular 24V Modular



CORDLIGHT 6 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-008

Code: TRO L-PLM-60-6M-24V-WW

Input: 24 Volt

Power: 4,8 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH BLUE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-002

Code: TRO L-PLM-60-6M-24V-B

Input: 24 Volt

Power: 4,8 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH GREEN LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-003

Code: TRO L-PLM-60-6M-24V-G

Input: 24 Volt

Power: 4,8 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH RED LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-004

Code: TRO L-PLM-60-6M-24V-R

Input: 24 Volt

Power: 3 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH AMBER LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-005

Code: TRO L-PLM-60-6M-24V-A

Input: 24 Volt

Power: 3 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20

Cord Light Modular 24V Modular



CORDLIGHT 10 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-018
Code: TRO L-PLM-100-10M-24V-WW
Input: 24 Volt
Power: 8 Watt

LED Quantity: 100
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20



EXTENSION CABLE 5 METER

with male and female connector - connectable

Ordercode: 016-050
Code: TRO L-PLM-EXT-5M

IP Rate: IP44
Carton Quantity: 50



2 & 4 WAY DIVIDER

with male and female connector - connectable

2-way:
Ordercode: 016-056
Code: TRO L-PLM-DIV-2W
 4-way:
Ordercode: 016-057
Code: TRO L-PLM-DIV-4W

IP Rate: IP44
Carton Quantity: 50



CONE LIGHT CONNECTOR

10 connector strings, each string 30cm lenght

Ordercode: 016-058
Code: TRO L-PLM-CONE10


IP Rate: IP44
Carton Quantity: 20



POWER SUPPLY 24V

Block Type - Outdoor - Schuko grounded

ORDERCODE:	CODE:	VOLTAGE:	POWER:
215-300	TRO SPS-24-30W	24V	30W
215-301	TRO SPS-24-60W	24V	60W
215-302	TRO SPS-24-100W	24V	100W




LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - BLACK WIRE

Connectable
for outdoor use

Ordercode: 010-008
Code: TRO L-PLR-26-150-B WW
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3




LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - WHITE WIRE

Connectable
for outdoor use

Ordercode: 010-018
Code: TRO L-PLR-26-150-W WW
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3



LED CASCADE LIGHT 2,6 X 1,5 METER WHITE & BLUE LED - WHITE WIRE


Connectable
for outdoor use

Ordercode: 010-112
Code: TRO L-PLR-26-150-W WB
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3



HoutBrox department store, Uden, The Netherlands.




LED WEB LIGHT 200 X 150CM WITH WARM WHITE LED AND GREEN PVC WIRE

Connectable
for in- / outdoor use

Ordercode: 033-008
Code: TRO L-SNL-156-24V-SGWW
Input: 24V (transformer included)
Power: 17 Watt
LED Quantity: 156

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 8




LED WEB LIGHT 219 X 60CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-018
Code: TRO L-SNLR-176-B
Input: 230V
Power: 18 Watt
LED Quantity: 176

Max. sets to connect: 20
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 250 X 120CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-028
Code: TRO L-SNLR-406-B
Input: 230V
Power: 40 Watt
LED Quantity: 406

Max. sets to connect: 12
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 400 X 200CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-038
Code: TRO L-SNLR-648-B
Input: 230V
Power: 65 Watt
LED Quantity: 648

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 2




LED WEB LIGHT 300 X 300CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-048
Code: TRO L-SNLR-750-B
Input: 230V
Power: 75 Watt
LED Quantity: 750

Max. sets to connect: 6
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 1

Web Light Conventional




WEB LIGHT 35 X 270 X 180CM WITH CLEAR BULBS AND CONTROLLER WITH 8 PROG.

Connectable
for indoor use

Ordercode: 420-031
Code: TRO SNL-288-CW
Input: 230V
Power: 181 Watt
Bulb Quantity: 288

Power Cable: 1,80 Meter (included)
IP Rate: IP20
Carton Quantity: 1



WEB LIGHT 60 X 219CM WITH 176 BULB


black rubber cable
for in / outdoor use

Ordercode: 420-041
Code: TRO SNLR-176-SB
Input: 230V
Power: 211 Watt
Bulb Quantity: 176

Max. sets to connect: 6
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 8



Round Net Light



ROUND NET LIGHT Ø40~50CM - 24V

for buxus of Ø40~50cm

24V Adaptor included

Ordercode: 017-001

Code: TRO L-BRN-45-24V WW

Input: 24V (adaptor included)

Power: 4,8 Watt

LED Color: Warm White


LED Quantity: 48

Power Cable / Adapter:

Included

IP Rate: IP44

Carton Quantity: 10



ROUND NET LIGHT Ø60~75CM - 24V

for buxus of Ø60~75cm

24V Adaptor included

Ordercode: 017-003

Code: TRO L-BRN-65-24V WW

Input: 24V (adaptor included)

Power: 4,8 Watt

LED Color: Warm White

LED Quantity: 48

Power Cable / Adapter:

Included


IP Rate: IP44

Carton Quantity: 10



Round Net Light

Snow Bar & Snow Cluster light



SNOWBAR SET 5 X 50CM TUBE

64 LED pro tube - fixed program

Adaptor included

Ordercode: 019-001

Code: TRO SB-50-5-12V

Input: 230V (adaptor included)

Power: 10,5 Watt

LED Quantity: 64 p/tube


LED Color: White

No. of Tubes: 5

Power Cable: 5 meter

IP Rate: IP44

Carton Quantity: 4



SNOWBAR SET 5 X 50CM TUBE

50 SMD LED pro tube - fixed program

Adaptor included

Ordercode: 019-002

Code: TRO

Input: 230V (adaptor included)

Power: 10,5 Watt

LED Quantity: 50 p/tube


LED Color: White

No. of Tubes: 5

Power Cable: 5 meter

IP Rate: IP44

Carton Quantity: 4



SNOWCLUSTER SET 5 X 100CM STRING

128 LED pro cluster - fixed program

Adaptor included

Ordercode: 019-012

Code: TRO SC-100-5-12V

Input: 230V (adaptor included)

Power: 25 Watt

LED Quantity: 128 p/cluster

LED Color: White

No. of Tubes: 5

Power Cable: 5 meter

IP Rate: IP44


Carton Quantity: 10

It is possible to connect several Snow Bar or Cluster sets, but you then need a bigger 12V power supply.



LED CHASY LIGHT OFFERS THE FOLLOWING PROGRAMS:

- | | |
|----------------|------------------|
| 1. Combination | 5. Chasing/Flash |
| 2. In Waves | 6. Slow fade |
| 3. Sequential | 7. Twinkle/Flash |
| 4. Slow Glow | 8. Steady On |




LED CHASY LIGHT 5 METER WHITE TRANSPARENT WIRE

For indoor use

Ordercode: 030-001
Code: TRO L-TW-120-24V-W
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER BLUE TRANSPARENT WIRE

For indoor use

Ordercode: 030-002
Code: TRO L-TW-120-24V-B
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER GREEN TRANSPARENT WIRE

For indoor use

Ordercode: 030-003
Code: TRO L-TW-120-24V-G
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER RED TRANSPARENT WIRE

For indoor use

Ordercode: 030-004
Code: TRO L-TW-120-24V-R
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER YELLOW TRANSPARENT WIRE

For indoor use

Ordercode: 030-005
Code: TRO L-TW-120-24V-Y
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 10 METER WHITE BLACK WIRE

For outdoor use

Ordercode: 030-011
Code: TRO L-TWR-100-10M-W
Input: 230V
Power: 8,5 Watt
LED Quantity: 100

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10






LED CLUSTER LIGHT CHAIN 1,5 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode: 019-100
Code: TRO CLU-192-WW-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 192
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

No controller, steady string
for indoor/outdoor use

Ordercode: 019-106
Code: TRO CLU-288-WW
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode: 019-101
Code: TRO CLU-288-WW-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, PINK LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode: 019-105
Code: TRO CLU-288-P-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Pink

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



Basic Line Conventional

230 VOLT WITH REPLACEABLE PICELLO BULBS
POPULAR INDOOR CHRISTMAS TREE DECORATION



TRADITIONAL LIGHT CHAIN 2,85 METER WITH 10 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-001
Code: TRO MLC-10-230V-CL
Input: 230V
Power: 11,5 Watt
Color: Clear

Bulb Quantity: 10
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 100



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-003
Code: TRO MLC-20-230V-CL
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with white wire
for indoor use

Ordercode: 750-004
Code: TRO MLC-20-230V-CLW
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 8,85 METER WITH 50 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-008
Code: TRO MLC-50-230V-CL
Input: 230V
Power: 30 Watt
Color: Clear

Bulb Quantity: 50
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 40



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-011
Code: TRO MLC-100-230V-CL
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20

Basic Line Conventional



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 MULTI COLOR BULBS

with green wire
for indoor use

Ordercode: 750-013
Code: TRO MLC-100-230V-MC
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20



TRADITIONAL LIGHT CHAIN 16,85 METER WITH 80 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire
for outdoor use

Ordercode: 753-002
Code: TRO MLC-80-24V-IP44-CL
Input: 24V (adaptor included)
Power: 10,8 Watt
Color: Clear

Bulb Quantity: 80
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12



TRADITIONAL LIGHT CHAIN 22,85 METER WITH 120 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire
for outdoor use

Ordercode: 753-003
Code: TRO MLC-120-24V-IP44-CL
Input: 24V (adaptor included)
Power: 11,8 Watt
Color: Clear

Bulb Quantity: 120
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12



CANDLE LIGHT CHAIN 7,2 METER WITH 20 CLEAR BULBS

with 20 clear bulbs
for indoor use

Ordercode: 754-001
Code: TRO CDL-20-230V-IP20
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 30cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 12



CANDLE LIGHT CHAIN 5,3 METER WITH 20 CLEAR BULBS

with 20 clear bulbs
for outdoor use

Ordercode: 754-002
Code: TRO CDL-20-230V-IP44
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 20cm
Power Cable: 1,50 Meter
IP Rate: IP44
Carton Quantity: 12

Basic Line Spare Bulbs



5 SPARE BULB FOR MINI LIGHT 10PCS

Ordercode: 765-007
Code: TRO SPB-24V-48MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 20PCS

Ordercode: 765-006
Code: TRO SPB-12V-83MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 35PCS

Ordercode: 765-005
Code: TRO SPB-7V-93MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 50PCS

Ordercode: 765-004
Code: TRO SPB-5V-120MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 80PCS

Ordercode: 765-002
Code: TRO

Carton Quantity: 400

Basic Line Spare Bulbs



5 SPARE BULB FOR MINI LIGHT 100PCS

Ordercode: 765-001
Code: TRO SPB-2.5V-128MA

Carton Quantity: 400



5 SPARE BULB FOR WEB LIGHT 160PCS

Ordercode: 765-003
Code: TRO SPB-2.4V-52.5MA

Carton Quantity: 400



3 SPARE BULB FOR CANDLE LIGHT 20PCS IND- OOR

Ordercode: 765-008
Code: TRO SPB-12V-3W-E10


Carton Quantity: 400



3 SPARE BULB FOR CANDLE LIGHT 20PCS OUT- DOOR

Ordercode: 765-011
Code: TRO SPB-12V-3W-E10-O

Carton Quantity: 400



LED CORD LIGHT 15 METER WARM WHITE- GREEN WIRE

Connectable
for indoor use

Ordercode: 015-048
Code: TRO PL-150-15M-24V WW
Input: 230V
Power: 15 Watt
LED Quantity: 150

LED spacing: 10cm
Max. sets to connect: n.a.
Power Cable: 1,5M (included)
IP Rate: IP44
Carton Quantity: 10

LED CORD LIGHT 15 METER WARM WHITE IS A PERFECT SET FOR DECORATING A LARGE(R) CHRISTMAS TREE IN HOUSE WITH WARM WHITE LED. EXTRA SAFE WITH LOW VOLTAGE (24 VOLT TRANSFORMER INCLUDED).

Flower Lights



LED FLOWER LIGHT 10 STRINGS BLUE

for indoor use

Ordercode: 035-002
Code: TRO L-FL-10L-B
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Blue

No. of Strings: 10
String Length: 50 cm
IP Rate: IP20
Carton Quantity: 100



LED FLOWER LIGHT 10 STRINGS RED

for indoor use

Ordercode: 035-004
Code: TRO L-FL-10L-R
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Red

No. of Strings: 10
String Length: 51 cm
IP Rate: IP20
Carton Quantity: 100



LED FLOWER LIGHT 10 STRINGS YELLOW

for indoor use

Ordercode: 035-005
Code: TRO L-FL-10L-Y
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Yellow

No. of Strings: 10
String Length: 52 cm
IP Rate: IP20
Carton Quantity: 100



LED FLOWER LIGHT 20 STRINGS WARM WHITE

for indoor use

Ordercode: 035-008
Code: TRO FL-20L-4.5V-WW
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Warm White

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100




LED FLOWER LIGHT 20 STRINGS GREEN

for indoor use

Ordercode: 035-013
Code: TRO FL-20L-4.5V-G
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Green

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100

LED Flower Lights



LED FLOWER LIGHT 20 STRINGS YELLOW

for indoor use

Ordercode: 035-015

Code: TRO FL-20L-3V-Y

Input: Battery (2 x AA - not included)

Burning hours: 200 hours

Color: Yellow

No. of Strings: 20

String Length: 25-35 cm

IP Rate: IP20

Carton Quantity: 100





SMALL COMET 85 X 45CM WITH WARM WHITE LED

Steel frame

Ordercode: 570-010
Code: TRO L-MT-010 W
Input: 230V
Color: Warm White LED

Dimension: 85 x 45cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 53CM WITH WHITE LED

Steel frame

Ordercode: 570-011
Code: TRO L-MT-020 W
Input: 230V
Color: White LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WHITE LED

Steel frame

Ordercode: 570-016
Code: TRO L-MT-021 W
Input: 230V
Color: White LED

Dimension: 80cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 37CM WITH WHITE LED

Steel frame

Ordercode: 570-021
Code: TRO L-MT-030 W
Input: 230V
Color: White LED

Dimension: 37cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH WHITE LED

Steel frame

Ordercode: 570-026
Code: TRO L-MT-031 W
Input: 230V
Color: White LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH BLUE LED

Steel frame

Ordercode: 570-027
Code: TRO L-MT-031 B
Input: 230V
Color: Blue LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 66CM WITH WHITE LED

Steel frame

Ordercode: 570-031
Code: TRO L-MT-032 W
Input: 230V
Color: White LED

Dimension: 66cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



LED TOWER 150CM OUTDOOR WHITE OR BLUE

White:
Ordercode: 575-090
Code: TRO L-MT-XT-T-150-W
 Blue:
Ordercode: 575-100
Code: TRO L-MT-XT-T-150-B


Input: 230V
Dimension: 150cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 2




LED TOWER 250CM OUTDOOR BLUE

Ordercode: 575-120
Code: TRO L-MT-XT-T-250-B
Input: 230V
Color: Blue

Dimension: 200cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 2





BIG COMET 140 X 105CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-006
Code: TRO L-MT-011
Input: 230V
Color: Warm White LED

Dimension: 140 x 105cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-011
Code: TRO L-MT-025
Input: 230V
Color: Warm White LED

Dimension: 80cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-016
Code: TRO L-MT-027
Input: 230V
Color: Warm White LED

Dimension: 80cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 120CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-021
Code: TRO L-MT-028
Input: 230V
Color: Warm White LED

Dimension: 120cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5





BELT LIGHT RETAIL SET 10 METER WITH 10 SOCKETS

10 Multi Color LED lamps included

Ordercode: 435-011

Code: TRO BLRL-10M-10-E27MC

Length: 10 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 5



BELT LIGHT PROFI SET 20 METER WITH 20 MOULDED SOCKETS

Round rubber cable

Professional set (high quality mounted sockets) to decorate big trees

Because of the high quality of this Belt Light set, this set is the perfect solution to decorate big trees on public places like city centre squares, standing there for many years.

Ordercode: 585-038

Code: TRO BLR-20M-20-E27M

Length: 20 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 4



FLAT CABLE 10 METER INCLUDING 10 SOCKETS E27

Including plug and end cap

Max. to connect 100 meter / Max. load 1.500 Watt

Ordercode: 585-036

Code: TRO FLC-BL-10-10PL

Length: 10 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 5



FLAT CABLE 20 METER INCLUDING 19 SOCKETS E27

Including plug and end cap

Ordercode: 585-037

Code: TRO FLC-BL-20-19PL

Length: 20 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 5



FLAT CABLE 100 METER INCLUDING 100 SOCKETS E27

Including plug and end cap

Ordercode: 585-023

Code: TRO FLC-BL-100-100PL

Length: 100 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 1

Flat Cable & Belt Light



FLAT CABLE 25 METER

Including plug and end cap

Ordercode: 585-020
Code: TRO FLC-BL-25PL

Length: 25 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 4



FLAT CABLE 100 METER

Including plug and end cap

Ordercode: 585-006
Code: TRO FLC-BL-100

Length: 100 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 1



FLAT CABLE LAMP HOLDER E27

20 or 100 pieces holder and rubber rings

Ordercode: 585-025
Code: TRO FLC-LH-E27-20

Ordercode: 585-026
Code: TRO FLC-LH-E27-100

IP Rate: IP44
Carton Quantity: 1 or 5



FLAT CABLE LAMP HOLDER E27 WITH MOUTING HOLES

20 pieces holder and rubber rings

Ordercode: 585-028
Code: TRO FLC-LH-E27E-20

IP Rate: IP44
Carton Quantity: 5



TRADITIONAL FLAME LIGHT 10 PCS E14 230V

Ordercode: 440-015
Code: TRO FLAML-10-E14-230V
Color: Flame
Power: 230V

Wire length: 5,3m
Bulbs p/meter: 2

Traditional Lamps (for Belt Light)

FOR OUR COMPLETE RANGE OF (LED) LAMPS,
PLEASE CHECK OUR COMMERCIAL LIGHTING BROCHURE



P45 CLEAR - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-071
Code: TRO LMP-10-P45-E27 C
Color: Clear
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 BLUE - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-072
Code: TRO LMP-10-P45-E27 B
Color: Blue
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 GREEN - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-073
Code: TRO LMP-10-P45-E27 G
Color: Green
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 RED - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-074
Code: TRO LMP-10-P45-E27 R
Color: Red
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 YELLOW - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-075
Code: TRO LMP-10-P45-E27 Y
Color: Yellow
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

LED Lamps (for Belt Light)



P45 1 WATT CLEAR

With E-27 socket
With high power factor >0,85

Ordercode: 165-010
Code: TRO
Color: Warm White
Power: 2 Watt
Beam: 190°
LED Quantity: 30pcs x SMD

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT CLEAR

With E-27 socket

Ordercode: 165-000
Code: TRO L-P45-6L-E27-CL
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1,7 WATT CLEAR

With E-27 socket

Ordercode: 165-009
Code: TRO L-P45-10L-E27-CLEAR
Color: Warm White
Power: 1,7 Watt
Beam: 190°
LED Quantity: 10

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WHITE

With E-27 socket

Ordercode: 165-001
Code: TRO L-P45-6L-E27-W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT BLUE

With E-27 socket

Ordercode: 165-002
Code: TRO L-P45-6L-E27-B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT GREEN

With E-27 socket

Ordercode: 165-003
Code: TRO L-P45-6L-E27-G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT RED

With E-27 socket

Ordercode: 165-004
Code: TRO L-P45-6L-E27-R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT YELLOW

With E-27 socket

Ordercode: 165-005
Code: TRO L-P45-6L-E27-Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WARM WHITE

With E-27 socket

Ordercode: 165-008
Code: TRO L-P45-6L-E27-WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT CLEAR

With B-22 socket

Ordercode: 165-020
Code: TRO L-P45-6L-B22-CL
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)



P45 1 WATT WHITE

With B-22 socket

Ordercode: 165-021
Code: TRO L-P45-6L-B22-W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT BLUE

With B-22 socket

Ordercode: 165-022
Code: TRO L-P45-6L-B22-B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT GREEN

With B-22 socket

Ordercode: 165-023
Code: TRO L-P45-6L-B22-G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT RED

With B-22 socket

Ordercode: 165-024
Code: TRO L-P45-6L-B22-R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT YELLOW

With B-22 socket

Ordercode: 165-025
Code: TRO L-P45-6L-B22-Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WARM WHITE

With B-22 socket

Ordercode: 165-028
Code: TRO L-P45-6L-B22-WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT WHITE - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-011
Code: TRO P50-10L-E27 W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT BLUE - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-012
Code: TRO P50-10L-E27 B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT GREEN - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-013
Code: TRO P50-10L-E27 G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT RED - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-014
Code: TRO P50-10L-E27 R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)



P50 1 WATT YELLOW - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode: 165-015
Code: P50-10L-E27 Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT WARM WHITE - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode: 165-018
Code: TRO P50-10L-E27 WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



A60 1 WATT RGB - 7 COLOUR CHANGING

Fixed color changing program

Ordercode: 180-009
Code: TRO L-A60-12L-E27-MC
Color: RGB
Power: 1 Watt
Beam: 120°
LED Quantity: 12

Length: 104 mm
Diameter: 60 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



The advantages of LED Decorative Christmas Lights

In the past, Christmas lights were incandescent bulbs encased in painted glass. They were large, burned hot, broke easily and flaked with age. Often when one bulb was broken, the entire string failed to light. Today's Christmas lights use LED-light emitting diodes-light bulbs. There are many benefits to using LED bulbs as opposed to incandescent bulbs.

LOWER COST

LED Christmas lights demand far less electricity to operate than their incandescent counterparts---they cost almost 90% less to operate.

EASIER STORAGE

Due to the durability of LED Christmas lights, they are very easy to wrap up and store for later use. Worries of bulb breakage are no longer a concern. The bulbs withstand abuse and moisture without deleterious effects.

VARIETY

LED Christmas lights are available in various sizes and styles. The miniature size of LED's has opened the door to a much higher variety of colors – including beautiful, warm white – and many new applications such as cluster lighting and animation effects like twinkling, snowfall or waterfall, adding up to the amazing lighting results of our Modular Lighting Connection System.

SAFETY

LED lights do not heat up. They are far safer and don't cause fires. The older incandescent bulbs gave off most of their energy in the form of heat. This meant a higher risk of fire during the Christmas season.

LONGEVITY

Because LED lights do not burn hot, they last an extremely long time. Also, because they do not contain delicate filaments, LED lights can withstand light impact without breaking. When they are properly taken care of, LED Christmas lights will last for years.

WEATHERPROOF

LED Christmas lights function just as well outdoors as they do indoors. They are constructed in such a way that they are impervious to moisture, heat and cold.

BRIGHTER

LED Christmas lights are brighter than lights of the past. In addition, the brightness of these lights does not fade that much over time.



Tronix showroom decorative Christmas Lighting in Uden, The Netherlands



Tronix showroom decorative Christmas Lighting in Uden, The Netherlands

Index

TRO code	code	page	TRO code	code	page
● 005-008	TRO L-IPLR-20-76-B WW	39	● 010-118	TRO STR3M-E-B WW	22
● 005-018	TRO L-IPLR-20-76-W WW	39	● 010-121	TRO STR3M-E-W W	22
● 005-028	TRO L-IPLR-20-152-B WW	40	● 010-123	TRO STR3M-E-W W T	22
● 005-038	TRO L-IPLR-20-152-W WW	40	● 010-128	TRO STR3M-E-W WW	22
● 005-048	TRO L-IPLR-40-152-B WW	39	● 010-129	TRO STR3M-E-W WW T	22
● 005-058	TRO L-IPLR-40-152-W WW	39	● 010-151	TRO STR10M-C-B W	22
● 005-068	TRO L-IPLR-20-152-B WW	40	● 010-152	TRO STR10M-C-B B	22
● 005-112	TRO L-IPLR-20-76-WBW	39	● 010-154	TRO STR10M-C-B R	22
● 005-122	TRO L-IPLR-20-152-WBW	40	● 010-158	TRO STR10M-C-B WW	22
● 005-132	TRO L-IPLR-40-152-W BW	39	● 010-161	TRO STR10M-C-W W	22
● 005-140	TRO L-IPLR-20-76-W W T	39	● 010-165	TRO STR10M-C-B WW T	22
● 005-141	TRO L-IPLR-20-152-W W T	40	● 010-166	TRO STR10M-C-W WB	22
● 006-008	TRO L-PEAKM-20-76-B WW	23	● 010-167	TRO STR10M-C-B WB	22
● 006-018	TRO L-PEAKM-20-76-W WW	23	● 010-168	TRO STR10M-C-W WW	22
● 006-028	TRO L-PEAKM-20-76-W W T	23	● 010-169	TRO STR10M-C-W WW T	22
● 006-041	TRO L-PEAKM-20-152-W WB	23	● 010-171	TRO STR1.5M-E-B WW	22
● 006-048	TRO L-PEAKM-20-152-B WW	23	● 010-172	TRO STR1.5M-E-W WW	22
● 006-058	TRO L-PEAKM-20-152-W WW	23	● 010-175	TRO STR0.8M-E-W WW	22
● 006-112	TRO L-PEAKM-20-76-W WB	23	● 010-176	TRO STR0.8M-E-B WW	22
● 006-132	TRO L-PEAKM-20-152-W W T	23	● 010-180	TRO STR-SF60-E-W W	23
● 006-140	TRO L-PEAKM-20-76-W W	23	● 010-181	TRO STR-SF90-E-W W	23
● 010-004	TRO L-T-CON-RUB B	24	● 010-182	TRO STR-SF120-E-W W	23
● 010-005	TRO L-T-CON-RUB W	24	● 010-188	TRO L-R-CON-RUB W	24
● 010-006	TRO L-5-WAY-CON B	24	● 010-189	TRO L-R-CON-RUB B	24
● 010-007	TRO L-5-WAY-CON W	24	● 010-190	TRO STR-WF3M	23
● 010-008	TRO L-PLR-26-150-B WW	48	● 010-191	TRO STR-WF5M	23
● 010-012	TRO L-PC-1.5M W	24	● 010-197	TRO CONV-ROPE	24
● 010-013	TRO L-PC-1.5M B	24	● 010-200	TRO L-EXTCB-0.5M W	24
● 010-018	TRO L-PLR-26-150-W WW	48	● 010-201	TRO L-EXTCB-0.5M B	24
● 010-019	TRO L-PC-1.5M 5AM B	24	● 010-202	TRO L-EXTCB-1M W	24
● 010-020	TRO L-PC-1.5M 5AM W	24	● 010-203	TRO L-EXTCB-1M B	24
● 010-022	TRO L-T-CON-25 W	24	● 010-204	TRO L-EXTCB-2M W	24
● 010-023	TRO L-T-CON-25 B	24	● 010-205	TRO L-EXTCB-2M B	24
● 010-105	TRO MC-12S W	24	● 010-206	TRO L-EXTCB-3M W	24
● 010-106	TRO MC-12S B	24	● 010-207	TRO L-EXTCB-3M B	24
● 010-107	TRO MC-24S W	24	● 010-208	TRO L-EXTCB-5M W	24
● 010-108	TRO MC-24S B	24	● 010-209	TRO L-EXTCB-5M B	24
● 010-109	TRO MC-CONE-10S B	24	● 010-211	TRO STR6M-C-B W	22
● 010-111	TRO STR3M-E-B W	22	● 010-212	TRO STR6M-C-B B	22
● 010-112	TRO L-PLR-26-150-W WB	48	● 010-213	TRO STR6M-C-B G	22
● 010-113	TRO MC-6S W	24	● 010-214	TRO STR6M-C-B R	22
● 010-114	TRO MC-6S B	24	● 010-215	TRO STR6M-C-B Y	22
● 010-115	TRO MC-5S5M B	24	● 010-218	TRO STR6M-C-B WW	22

Index

TRO code	code	page	TRO code	code	page
010-219	TRO STR6M-C-B WB	22	020-001	TRO L-PL-60-100-12V WT	29
010-221	TRO STR6M-C-W W	22	020-002	TRO L-PL-60-100-12V BT	29
010-228	TRO STR6M-C-W WW	22	020-008TRO	L-PL-30-100-30-12V WWG	27
010-229	TRO STR6M-C-W WB	22	020-011	TRO L-PL-30-50-12V WT	29
010-230	TRO STR6M-C-W WW T	22	020-012	TRO L-PL-30-50-12V BT	29
015-001	TRO L-PL-60-6M-230V-W	43	024-001	TRO L-LP-420-24V WG	36
015-002	TRO L-PL-60-6M-230V-B	43	024-002	TRO L-LP-420-24V WWG	37
015-003	TRO L-PL-60-6M-230V-G	43	024-003	TRO L-LP-840-24V WG	37
015-004	TRO L-PL-60-6M-230V-R	43	024-004	TRO L-LP-840-24V WWG	37
015-005	TRO L-PL-60-6M-230V-Y	43	024-018	TRO L-LP-200-24V WWG	36
015-008	TRO L-PL-60-6M-230V-WW	43	024-048	TRO LP-25-3-10M-230V	36
015-011	TRO L-PLR-60-6M-230V-W	44	024-058	TRO LP-50-5-10M-230V WW	36
015-012	TRO L-PLR-60-6M-230V-B	44	024-068	TRO LP-50-5-10M-230V W	36
015-013	TRO L-PLR-60-6M-230V-G	44	025-004	TRO L-PL-30-100-12V RG	27
015-014	TRO L-PLR-60-6M-230V-R	44	025-008	TRO L-PL-63-150-24V WWG	30
015-015	TRO L-PLR-60-6M-230V-Y	44	025-011	TRO L-PL-63-150-24V WG	30
015-018	TRO L-PLR-60-6M-230V-WW	44	025-018	TRO L-PL-63-150-30-24V WWG	28
015-021	TRO L-PLR-100-10M-230V-W	44	025-021	TRO L-PL-63-150-30-24V WG	27
015-024	TRO L-PLR-100-10M-230V-R	44	025-022	TRO L-PL-30-100-12V BG	27
015-028	TRO L-PLR-100-10M-230V-WW	44	025-048	TRO L-PL-30-100-12V WWG	27
015-029	TRO L-PLR-100-10M-230V-WB	44	025-068TRO	L-PLT-63-150-30-24V WWG	28
015-039TRO	L-PLR-100-10M-230V-G-WB	44	025-108	TRO L-CL63-150-24V WWG	31
015-048	TRO PL-150-15M-24V WW	59	025-112	TRO L-PL-63-150-30-WBG	28
015-058	TRO L-PL-60-6M-230V-W WW	43	026-001	TRO L-PL-60-100-70-24V WG	31
016-002	TRO L-PLM-60-6M-24V-B	46	026-002	TRO L-PL-60-100-70-24V BG	31
016-003	TRO L-PLM-60-6M-24V-G	46	026-006	TRO L-PL-60-100-70-24V AG	31
016-004	TRO L-PLM-60-6M-24V-R	46	026-011	TRO L-PL-60-100-70-24V WGI	30
016-005	TRO L-PLM-60-6M-24V-A	46	026-012	TRO L-PL-60-100-70-24V BGI	30
016-008	TRO L-PLM-60-6M-24V-WW	46	026-016	TRO L-PL-60-100-70-24V AGI	30
016-018	TRO L-PLM-100-10M-24V-WW	47	030-001	TRO L-TW-120-24V-W	53
016-050	TRO L-PLM-EXT-5M	47	030-002	TRO L-TW-120-24V-B	53
016-056	TRO L-PLM-DIV-2W	47	030-003	TRO L-TW-120-24V-G	53
016-057	TRO L-PLM-DIV-4W	47	030-004	TRO L-TW-120-24V-R	53
016-058	TRO L-PLM-CONE10	47	030-005	TRO L-TW-120-24V-Y	54
017-001	TRO L-BRN-45-24V WW	51	030-011	TRO L-TWR-100-10M-W	54
017-003	TRO L-BRN-65-24V WW	51	033-008	TRO L-SNLR-156-24V-SGWW	49
019-001	TRO SB-50-5-12V	52	033-018	TRO L-SNLR-176-B	49
019-002	TRO SB-50-5-12V SMD (50)	52	033-028	TRO L-SNLR-406-B	49
019-012	TRO SC-100-5-12V	52	033-038	TRO L-SNLR-648-B	49
019-100	TRO CLU-192-WW-C	55	033-048	TRO L-SNLR-750-B	49
019-101	TRO CLU-288-WW-C	55	035-002	TRO L-FL-10L-B	60
019-105	TRO CLU-288-P-C	55	035-004	TRO L-FL-10L-R	60
019-106	TRO CLU-288-WW	55	035-005	TRO L-FL-10L-Y	60

Index

TRO code	code	page	TRO code	code	page
035-008	TRO FL-20L-4.5V-WW	60	165-011	TRO P50-10L-E27 W	71
035-013	TRO FL-20L-4.5V-G	60	165-012	TRO P50-10L-E27 B	71
035-015	TRO FL-20L-3V-Y	61	165-013	TRO P50-10L-E27 G	71
045-001	TRO L-DL-2W-15M-12V-W	3	165-014	TRO P50-10L-E27 R	71
045-002	TRO L-DL-2W-15M-12V-B	3	165-015	TRO P50-10L-E27 Y	72
045-003	TRO L-DL-2W-15M-12V-G	3	165-018	TRO P50-10L-E27 WW	72
045-004	TRO L-DL-2W-15M-12V-R	3	165-020	TRO L-P45-6L-B22-CL	69
045-005	TRO L-DL-2W-15M-12V-Y	4	165-021	TRO L-P45-6L-B22-W	70
045-008	TRO L-DL-2W-15M-12V-WW	3	165-022	TRO L-P45-6L-B22-B	70
050-001	TRO L-DL-2W-30M-24V-W	4	165-023	TRO L-P45-6L-B22-G	70
050-002	TRO L-DL-2W-30M-24V-B	4	165-024	TRO L-P45-6L-B22-R	70
050-003	TRO L-DL-2W-30M-24V-G	4	165-025	TRO L-P45-6L-B22-Y	70
050-004	TRO L-DL-2W-30M-24V-R	5	165-028	TRO L-P45-6L-B22-WW	71
050-005	TRO L-DL-2W-30M-24V-Y	5	180-009	TRO L-A60-12L-E27-MC	72
050-008	TRO L-DL-2W-30M-24V-WW	4	214-007	TRO L-CNTR-DL-3W 8	15
055-000	TRO L-DL-2W-51M-230V-MC	7	215-300	TRO SPS-24-30W	34, 47
055-001	TRO L-DL-2W-51M-230V-W	5	215-301	TRO SPS-24-60W	34, 47
055-002	TRO L-DL-2W-51M-230V-B	6	215-302	TRO SPS-24-100W	34, 47
055-003	TRO L-DL-2W-51M-230V-G	6	215-304	TRO SPS-24-200W	35
055-004	TRO L-DL-2W-51M-230V-R	6	215-310	TRO SPS-30-30W	33
055-005	TRO L-DL-2W-51M-230V-Y	6	215-311	TRO SPS-12-60W	33
055-008	TRO L-DL-2W-51M-230V-WW	6	215-312	TRO SPS-12-100W	34
055-051	TRO L-ML-2W-51M-230V-W	5	215-314	TRO SPS-12-200W	34
055-058	TRO L-ML-2W-51M-230V-WW	5	400-021	TRO IPLR-38-40-152B	41
055-101	TRO L-HL-2W-50M-230V-W	7	420-031	TRO SNL-288-CW	50
055-108	TRO L-HL-2W-50M-230V-WW	7	420-041	TRO SNLR-176-SB	50
060-001	TRO L-DL-3W-99M-230V-W	8	435-011	TRO BLRL-10M-10-E27MC	65
060-002	TRO L-DL-3W-99M-230V-B	8	440-015	TRO FLAML-10-E14-230V	66
060-003	TRO L-DL-3W-99M-230V-G	8	465-030	TRO ML-2W-6	17
060-004	TRO L-DL-3W-99M-230V-R	8	465-035	TRO ML-2W-8	17
060-005	TRO L-DL-3W-99M-230V-Y	8	470-001	TRO DL-2W-45M12VCL	9
065-005	TRO L-DLG-2W-1-6-3.5	12	475-001	TRO DL-2W-45M24VCL	9
065-010	TRO L-DLG-2W-12/24V	12	480-019	TRO DL-2W-9M-230V-CL	9
065-015	TRO L-MLG-2W-1-6-2.5	17	480-020	TRO DL-2W-15M-230V-CL	9
165-000	TRO L-P45-6L-E27-CL	68	480-030	TRO DL-2W-45M-230VCL	9
165-001	TRO L-P45-6L-E27-W	68	480-035	TRO DL-2W-45M-230VBL	10
165-002	TRO L-P45-6L-E27-B	68	480-040	TRO DL-2W-45M-230VGR	10
165-003	TRO L-P45-6L-E27-G	69	480-045	TRO DL-2W-45M-230VRD	10
165-004	TRO L-P45-6L-E27-R	69	480-050	TRO DL-2W-45M-230VYE	10
165-005	TRO L-P45-6L-E27-Y	69	480-055	TRO DL-2W-45M-230VOR	11
165-008	TRO L-P45-6L-E27-WW	69	480-060	TRO DL-2W-45M-230VMC	10
165-009	TRO L-P45-10L-E27-CLEAR	68	480-075	TRO DL-2W-45M-230VMW	11
165-010	TRO L-P45-30SMD-E27-WW	68	485-010	TRO DL-2W-1-6'-3.5	13

Index

TRO code	code	page	TRO code	code	page
● 485-015	TRO DLG-2W-1-6'-3.5 GLUE	12	● 580-021	TRO L-MT-028	64
● 485-020	TRO DLG-2W-1-6-3.5 BULK	12	● 585-006	TRO FLC-BL-100	66
● 485-025	TRO DLG-2W-1-15'-3.5	12	● 585-020	TRO FLC-BL-25PL	66
● 485-050	TRO DL-2W-CON-2	13	● 585-023	TRO FLC-BL-100-100PL	65
● 485-055	TRO DL-2W-GLBT	13	● 585-025	TRO FLC-LH-E27-20	66
● 485-060	TRO DL-2W-8-25	13	● 585-026	TRO FLC-LH-E27-100	66
● 485-070	TRO DL-2W-5-25	13	● 585-028	TRO FLC-LH-E27E-20	66
● 485-085	TRO DL-2W-7-H	14	● 585-036	TRO FLC-BL-10-10PL	65
● 485-090	TRO DL-2W-4M	14	● 585-037	TRO FLC-BL-20-19PL	65
● 485-100	TRO DL-2W-6	14	● 585-038	TRO BLR-20M-20-E27M	65
● 485-105	TRO DL-2W-TCE	14	● 590-071	TRO LMP-10-P45-E27 C	67
● 485-110	TRO DL-2W-XCE	14	● 590-072	TRO LMP-10-P45-E27 B	67
● 485-113	TRO DL-2W-HSTGL-20x4	15	● 590-073	TRO LMP-10-P45-E27 G	67
● 485-116	TRO DL-2W-HSTGL-20X4B	15	● 590-074	TRO LMP-10-P45-E27 R	67
● 485-160	TRO DL-2W-CH-PVC	11	● 590-075	TRO LMP-10-P45-E27 Y	67
● 485-165	TRO DL-2W-CH-PET	11	● 750-001	TRO MLC-10-230V-CL	56
● 485-170	TRO DL-2W-CH-ALU	11	● 750-003	TRO MLC-20-230V-CL	56
● 495-005	TRO DLG-3W-1-3M-FF	15	● 750-004	TRO MLC-20-230V-CLW	56
● 495-010	TRO DL-3W-4	16	● 750-008	TRO MLC-50-230V-CL	56
● 495-015	TRO DL-3W-4M	16	● 750-011	TRO MLC-100-230V-CL	56
● 495-020	TRO DL-3W-7	16	● 750-013	TRO MLC-100-230V-MC	57
● 495-035	TRO DL-3W-XCE	16	● 753-002	TRO MLC-80-24V-IP44-CL	57
● 535-005	TRO CDL-2W	32	● 753-003	TRO MLC-120-24V-IP44-CL	57
● 535-020	TRO CDL-5W	32	● 754-001	TRO CDL-20-230V-IP20	57
● 535-025	TRO EXT-4M	32	● 754-002	TRO CDL-20-230V-IP44	57
● 535-030	TRO AMP-M-4MM R	32	● 765-001	TRO SPB-2.5V-128MA	59
● 535-031	TRO AMP-M-4MM B	32	● 765-002	TRO SPB-2,5V-150MA	58
● 535-050	TRO AMP-CON-2.3MM	33	● 765-003	TRO SPB-2.4V-52.5MA	59
● 535-051	TRO AMP-CON-4.2MM	33	● 765-004	TRO SPB-5V-120MA	58
● 535-090	TRO TT-50M	33	● 765-005	TRO SPB-7V-93MA	58
● 545-005	TRO SL-2DL-212A	15	● 765-006	TRO SPB-12V-83MA	58
● 570-010	TRO L-MT-010 W	62	● 765-007	TRO SPB-24V-48MA	58
● 570-011	TRO L-MT-020 W	62	● 765-008	TRO SPB-12V-3W-E10	59
● 570-016	TRO L-MT-021 W	62	● 765-011	TRO SPB-12V-3W-E10-O	59
● 570-021	TRO L-MT-030 W	62			
● 570-026	TRO L-MT-031 W	62			
● 570-027	TRO L-MT-031 B	63			
● 570-031	TRO L-MT-032 W	63			
● 575-090	TRO L-MT-XT-T-150-W	63			
● 575-120	TRO L-MT-XT-T-250-B	63			
● 580-006	TRO L-MT-011	64			
● 580-011	TRO L-MT-025	64			
● 580-016	TRO L-MT-027	64			



Tronix uses different connector types:



Striped wire



Schuko grounded
CEE 7/7



Schuko ungrounded
CEE 7/17



Euro plug
CEE 7/16




UK plug
BS 1363



Swiss plug
SEV 1011





Az Ön kereskedője:

TRONIX ROPE LIGHT

Rope Light is designed for decorative lighting purposes and makes a perfect outlining tool. It is an easy and cost-effective solution for a broad range of applications: from small accent lighting tasks to eye-catching party and event lighting effects.


Tronix Rope Light is available in LED or incandescent, low and high voltage, 2 or 3 wire rope and offers a wide range of style and colors. LED rope light is just as bright as incandescent rope light, but uses two-thirds less energy and offers a large choice in colors. Tronix Rope Light includes a power cable and is equipped with a clear PVC tubing.

CONTROLLERS AND ACCESSORIES

Our wide selection of Rope Light accessories stands for custom-made solutions and a wide range of installation possibilities. 2 or 3 wire controllers are available to create flash or chase light.

Note: All 12 and 24 volt rope lights require a transformer





LED ROPE LIGHT 12V WHITE

15 meter roll

Ordercode: 045-001
Code: TRO L-DL-2W-15M-12V-W
Color: White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V WARM WHITE

15 meter roll

Ordercode: 045-008
Code: TRO L-DL-2W-15M-12V-WW
Color: Warm White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V BLUE

15 meter roll

Ordercode: 045-002
Code: TRO L-DL-2W-15M-12V-B
Color: Blue
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V GREEN

15 meter roll

Ordercode: 045-003
Code: TRO L-DL-2W-15M-12V-G
Color: Green
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V RED

15 meter roll

Ordercode: 045-004
Code: TRO L-DL-2W-15M-12V-R
Color: Red
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5

Rope Light

LED ROPE LIGHT 12V YELLOW

15 meter roll



Ordercode: 045-005
Code: TRO L-DL-2W-15M-12V-Y
Color: Yellow
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5

LED ROPE LIGHT 24V WHITE

30 meter roll



Ordercode: 050-001
Code: TRO L-DL-2W-30M-24V-W
Color: White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V WARM WHITE

30 meter roll



Ordercode: 050-008
Code: TRO L-DL-2W-30M-24V-WW
Color: Warm White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V BLUE

30 meter roll




Ordercode: 050-002
Code: TRO L-DL-2W-30M-24V-B
Color: Blue
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V GREEN

30 meter roll



Ordercode: 050-003
Code: TRO L-DL-2W-30M-24V-G
Color: Green
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V RED

30 meter roll

Ordercode: 050-004
Code: TRO L-DL-2W-30M-24V-R
Color: Red
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V YELLOW

30 meter roll

Ordercode: 050-005
Code: TRO L-DL-2W-30M-24V-Y
Color: Yellow
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE - 10MM

51 meter roll

Ordercode: 055-051
Code: TRO L-ML-2W-51M-230V-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WARM WHITE - 10MM

51 meter roll

Ordercode: 055-058
Code: TRO L-ML-2W-51M-230V-WW
Color: Warm White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE

51 meter roll

Ordercode: 055-001
Code: TRO L-DL-2W-51M-230V-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light



LED ROPE LIGHT 230V WARM WHITE

51 meter roll

Ordercode: 055-008

Code: TRO L-DL-2W-51M-230V-WW

Color: Warm White

Input: 230V

Power: 3,2 Watt/meter

Length: 51 meter

Max. length: 51 meter

Diameter: 13mm


Cutting length: 150cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V BLUE

51 meter roll

Ordercode: 055-002

Code: TRO L-DL-2W-51M-230V-B

Color: Blue

Input: 230V

Power: 3,2 Watt/meter

Length: 51 meter

Max. length: 51 meter

Diameter: 13mm


Cutting length: 150cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V GREEN

51 meter roll

Ordercode: 055-003

Code: TRO L-DL-2W-51M-230V-G

Color: Green

Input: 230V

Power: 3,2 Watt/meter

Length: 51 meter

Max. length: 51 meter

Diameter: 13mm


Cutting length: 150cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V RED

50 meter roll

Ordercode: 055-004

Code: TRO L-DL-2W-51M-230V-R

Color: Red

Input: 230V

Power: 2,4 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm


Cutting length: 200cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V YELLOW

50 meter roll

Ordercode: 055-005

Code: TRO L-DL-2W-51M-230V-Y

Color: Yellow

Input: 230V

Power: 2,4 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 200cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V MULTI COLOR

50 meter roll

Ordercode: 055-000

Code: TRO L-DL-2W-51M-230V-MC

Color: Multi Color

Input: 230V

Power: 2,4 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 200cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V HORIZONTAL WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-101

Code: TRO

Color: White

Input: 230V

Power: 2,7 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 100cm

LED p/meter: 30

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED ROPE LIGHT 230V HORIZONTAL WARM WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-108

Code: TRO

Color: Warm White

Input: 230V

Power: 2,7 Watt/meter

Length: 50 meter

Max. length: 50 meter

Diameter: 13mm

Cutting length: 100cm

LED p/meter: 30

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1

Rope Light



LED 3 WIRE ROPE LIGHT 230V WHITE

99 meter roll

Ordercode: 060-001

Code: TRO L-DL-3W-99M-230V-W

Color: White

Input: 230V

Power: 3,2 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm


Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V BLUE

99 meter roll

Ordercode: 060-002

Code: TRO L-DL-3W-99M-230V-B

Color: Blue

Input: 230V

Power: 3,2 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm


Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V GREEN

99 meter roll

Ordercode: 060-003

Code: TRO L-DL-3W-99M-230V-G

Color: Green

Input: 230V

Power: 3,2 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm


Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V RED

99 meter roll

Ordercode: 060-004

Code: TRO L-DL-3W-99M-230V-R

Color: Red

Input: 230V

Power: 2,4 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm

Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V YELLOW

99 meter roll

Ordercode: 060-005

Code: TRO L-DL-3W-99M-230V-Y

Color: Yellow

Input: 230V

Power: 2,4 Watt/meter

Length: 99 meter

Max. length: 99 meter

Diameter: 13mm

Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 12V CLEAR

45 meter roll

Ordercode: 470-001
Code: TRO DL-2W-45M12VCL
Color: Clear
Input: 12V
Power: 7,63 Watt/meter

Length: 45 meter
Max. length: 10 meter
Diameter: 13mm
Cutting length: 11cm

Bulbs p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 24V CLEAR

45 meter roll

Ordercode: 475-001
Code: TRO DL-2W-45M24VCL
Color: Clear
Input: 24V
Power: 7,63 Watt/meter

Length: 45 meter
Max. length: 20 meter
Diameter: 13mm
Cutting length: 22cm

Bulbs p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

9 meter roll

Retail pack

Ordercode: 480-019
Code: TRO DL-2W-9M-230V-CL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 9 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

15 meter roll

Retail pack

Ordercode: 480-020
Code: TRO DL-2W-15M-230V-CL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 15 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

45 meter roll

Ordercode: 480-030
Code: TRO DL-2W-45M-230VCL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Bulbs type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 230V BLUE

45 meter roll

Ordercode: 480-035
Code: TRO DL-2W-45M-230VBL
Color: Blue
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V GREEN

45 meter roll

Ordercode: 480-040
Code: TRO DL-2W-45M-230VGR
Color: Green
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V RED

45 meter roll

Ordercode: 480-045
Code: TRO DL-2W-45M-230VRD
Color: Red
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V YELLOW

45 meter roll

Ordercode: 480-050
Code: TRO DL-2W-45M-230VYE
Color: Yellow
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MULTI-COLOR

45 meter roll

Ordercode: 480-060
Code: TRO DL-2W-45M-230VMC
Color: Multi Color
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 230V ORANGE

45 meter roll

Ordercode: 480-055

Code: TRO DL-2W-45M-230VOR

Color: Orange

Input: 230V

Power: 16,5 Watt/meter

Length: 45 meter

Max. length: 45 meter

Diameter: 13mm

Cutting length: 100cm

Bulbs p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MILKY WHITE

45 meter roll

Ordercode: 480-075

Code: TRO DL-2W-45M-230VMW

Color: Milky White

Input: 230V

Power: 16,5 Watt/meter

Length: 45 meter

Max. length: 45 meter

Diameter: 13mm

Cutting length: 100cm

Bulbs p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 1

Accessories for 13mm Rope Light



PVC CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Ordercode: 485-160

Code: TRO DL-2W-CH-PVC

Length: 200cm

Bunch Quantity: 50



PET CHANNEL FOR 13MM ROPE LIGHT - UV RESISTANT

2 meter length

Pet is resistant against UV, chlorine and salt water, and impact resistant.

Ordercode: 485-165

Code: TRO DL-2W-CH-PET

Length: 200cm

Bunch Quantity: 50



ALUMINIUM CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Always keep 4mm space between each 2M channel. Channel will extend when getting warm.

Ordercode: 485-170

Code: TRO DL-2W-CH-ALU

Length: 200cm

Bunch Quantity: 25

Accessories for 13mm Rope Light



LED POWER CABLE 13MM OUTDOOR WITH PLUG AND END CAP for 230V LED Rope Light

Ordercode: 065-005
Code: TRO L-DLG-2W-1-6-3.5

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

With UK plug: 065-006
With Swiss plug: 065-007

EAN: 8714984901155
EAN: 8714984051713



LED & CONVENTIONAL POWER CABLE 13MM OUTDOOR WITHOUT CONVERTER WITH STRIPED WIRE AND END CAP for 12V & 24V LED and conventional Rope Light

Ordercode: 065-010
Code: TRO L-DLG-2W-12/24V

Length: 150cm

Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 50



CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP AND GLUE - RETAIL PACK WITH TOPCARD for conventional Rope Light 13mm

Ordercode: 485-015
Code: TRO DLG-2W-1-6'-3.5 GLUE

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50



CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP BULK PACKAGING for conventional Rope Light 13mm

Ordercode: 485-020
Code: TRO DLG-2W-1-6-3.5 BULK

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

With UK plug: 485-030
With Swiss plug: 485-031

EAN: 8714984001466
EAN: 8714984910058



POWER CABLE 13MM OUTDOOR WITH END CAP 5 METER BULK PACKAGING for conventional Rope Light 13mm

Ordercode: 485-025
Code: TRO DLG-2W-1-15'-3.5

Length: 500cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 30

Accessories for 13mm Rope Light



POWER CABLE 13MM INDOOR WITH END CAP - RETAIL PACK WITH TOPCARD

for conventional Rope Light 13mm

Ordercode: 485-010
Code: TRO DL-2W-1-6'-3.5

Length: 150cm

Plug type: Euro
IP Rate: IP20
Carton Quantity: 60



2 SPLICE CONNECTORS WITH GLUE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-050
Code: TRO DL-2W-CON-2

IP Rate: IP44
Box Quantity: 50x 2pcs



GLUE BOTTLE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-055
Code: TRO DL-2W-GLBT

Bag Quantity: 1



CROCODILE CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-060
Code: TRO DL-2W-8-25

Box Quantity: 50x 25pcs



MOUNTING CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-070
Code: TRO DL-2W-5-25

Box Quantity: 100x 25pcs

Accessories for 13mm Rope Light



INVISIBLE SPLICE CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-085
Code: TRO DL-2W-7-H

Bag Quantity: 100



MALE PIN CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-090
Code: TRO DL-2W-4M

Bag Quantity: 100



END CAP

for conventional and LED Rope Light 13mm

Ordercode: 485-100
Code: TRO DL-2W-6

Bag Quantity: 100



T CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-105
Code: TRO DL-2W-TCE

IP Rate: IP44
Bag Quantity: 1



X CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-110
Code: TRO DL-2W-XCE

IP Rate: IP44
Bag Quantity: 1

Accessories for 13mm Rope Light



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode: 485-113
Code: TRO DL-2W-HSTGL-20x4
Color: Clear

Box Quantity: 100x 10pcs



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH INSIDE GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode: 485-116
Code: TRO DL-2W-HSTGL-20X4B
Color: Black

Box Quantity: 100x 10pcs



CONTROLLER 2 WIRES 1 CIRCUIT FLASHING

for conventional Rope Light 13mm

Ordercode: 545-005
Code: TRO SL-2DL-212A

IP Rate: IP44
Carton Quantity: 1

Accessories for 3 wire Rope Light



LED CONTROLLER 3 WIRES 230 VOLT WITH 8 FUNCTIONS

for 3 wire LED Rope Light 13mm

Ordercode: 214-007
Code: TRO L-CNTR-DL-3W 8

IP Rate: IP44
Carton Quantity: 1



POWER/EXTENSION CABLE 3 METER 2X FEMALE

for 3 wire LED Rope Light 13mm - Can also be used as a power cable between 3 wire ropel. and controller (cut into 2 pieces). Use together with power screw connector 495-010

Ordercode: 495-005
Code: TRO DLG-3W-1-3M-FF

IP Rate: IP44
Carton Quantity: 30

Accessories for 3 wire Rope Light



POWER SCREW CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-010

Code: TRO DL-3W-4

IP Rate: IP44

Bag Quantity: 1



MALE PIN CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-015

Code: TRO DL-3W-4M

IP Rate: IP44

Bag Quantity: 10



INVISIBLE SPLICE CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-020

Code: TRO DL-3W-7

IP Rate: IP44

Bag Quantity: 10



X CONNECTOR

with glue

for 3 wire LED Rope Light 13mm

Ordercode: 495-035

Code: TRO DL-3W-XCE

IP Rate: IP44

Bag Quantity: 1

Accessories for 10mm Rope Light



LED POWER CABLE 10MM OUTDOOR WITH PLUG AND END CAP

for LED Rope Light 10mm

Ordercode: 065-015

Code: TRO L-MLG-2W-1-6-2.5

Length: 150cm

Cable type: Schuko ungrounded

IP Rate: IP44

Carton Quantity: 50



ENDCAP 10MM

for LED Rope Light 10mm

Ordercode: 465-030

Code: TRO ML-2W-6

Bag Quantity: 100



CROCODILE CLIP 10MM

for LED Rope Light 10mm

Ordercode: 465-035

Code: TRO ML-2W-8

Bag Quantity: 1

Rope Light

GENERAL INSTRUCTIONS FOR USING ROPE LIGHT

1. Make sure the power is switched off during installation. Never connect the mains voltage while the light tube is still on the reel; the heat development can cause fire. Never cover the light tube while lit.
2. Check whether the mains voltage of the Rope Light corresponds with the mains voltage of the power supply.
3. For LED Rope Light 230V and low voltage connected to a transformer, always use a power cable with converter, otherwise the LEDs will flicker. For low voltage it is best to use a stabilized DC power supply in which case you don't need a converter.
4. Only cut the Rope Light at the identification mark, otherwise part of the tube will be permanently useless. Make absolutely sure that the mains voltage is not connected. Use a pair of sharp cutting pliers and make sure the edge is smooth and at the right angles.
5. Mains supply cable and connectors.
6. Always seal the end of a (cutted) cable with an end cap, which must be glued on with pvc or silicon glue.

7. Assembly

Assemble the Rope Light in such a way that there is sufficient ventilation and the heat can flow off. Do not assemble on surfaces that can vibrate or rattle violently due to severe wind. Decorations that are spanned over the road or are applied at shopping centers must be allowed some movement with the wind. Assemble the tube face front (the part producing the most light) and only cut the rope light per complete unit and at the identification marks such as shown in the following diagram.

8. Installation

Depending on the specific circumstances different fixing material are available. Use tie-wraps along a steel wire or preshaped frame; for outdoor usage take the UV-durable quality. An aluminium channel is available for straight lines such as PVC, PET. Crocodile clips and mounting clips can be used for both straight and bent lines. Affixation distance: the recommended distance for clips and bundling straps; horizontal 20 cm and vertical 30 cm. Make sure the Rope Light is not twisted.

9. Expansion


Aluminium channels have a coefficient of expansion, meaning that the difference in length per 2 meter can increase with several millimeters. Make sure to keep about 4mm of space between two channels.

10. Preheating and use

It is important to preheat Rope Light (especially at low outside temperatures) before starting to use the material. You can do this by connecting the required length to the mains supply, allowing the Rope Light to burn for a couple of minutes until it is flexible. Especially when making bends it is very important to preheat the rope. Disconnect the mains supply before starting the assembly. Always unwind Rope Light from the reel, this prevents loops or swaying which could damage the internal wiring.

11. Bending

It is very important to bend Rope Light perpendicular - straight up or down - at the wires. Make absolutely sure to bend rope light in the right direction, up or down, making sure that the two internal wires make the same curve. Avoid at all times that one of the two wires (the inner side one) needs to make a very sharp curve because of wrong bending. Bending rope light incorrectly can cause damage to the internal wiring. Please see drawing below for illustration.



12. Please always read the user manual carefully before installation.
A User Manual for Rope Light is supplied with delivery or can be downloaded on our website www.tronix.nl



Modular Lighting Connection System



MODULAR LIGHTING CONNECTION SYSTEM™

ENDLESS POSSIBILITIES TO CREATE YOUR OWN
CORD LIGHT, CASCADE LIGHT OR PEAK LIGHT



proSYSTEM
LED 230V

Compose your own custom-made lighting product and discover what you can do with the unique Modular Lighting Connection System by Tronix.

Just choose your outdoor application, make a product selection from our extensive range of light strings & accessories, and simply link everything together in any desired way to create the lighting effect you all looking for. The results are just all up to your own imagination!


Modular Lighting Connection System




Department store in London, project by Umbrella International Ltd. UK

Modular Lighting Connection System

CHOOSE YOUR APPLICATION:




CASCADE LIGHT POSSIBILITIES:




Accessories:

Tronix offers a wide range of accessories like power cables, extension cables, connectors etc.

CORD LIGHT POSSIBILITIES:




PEAK LIGHT POSSIBILITIES:





Cascade Light and Cord Light Strings

Connectable Cascade/Cord Light Strings – 10m or 6m



10,0 METER STRING (CONNECTABLE)

Input:	230V	No. of strings:	1
LED Quantity:	100 per string	Power Cable:	not included
Length:	10 meter	Carton	
IP Rate:	IP44	Quantity:	6
Power:	7,5 Watt		


ORDERCODE:	LED COLOR:	WIRE COLOR:
010-151	White	Black
010-158	Warm White	Black
010-161	White	White
010-168	Warm White	White
010-169	Warm White (90) & Warm White Twinkle (10)	White
010-152	Blue	Black
010-154	Red	Black
010-166	White & Blue	White
010-167	White & Blue	Black
010-165	Warm White	Black

6,0 METER STRING (CONNECTABLE)

Input:	230V	No. of strings:	1
LED Quantity:	60 per string	Power Cable:	not included
Length:	6 meter	Carton	
IP Rate:	IP44	Quantity:	6
Power:	4,8 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-211	White	Black
010-218	Warm White	Black
010-212	Blue	Black
010-213	Green	Black
010-214	Red	Black
010-215	Yellow	Black
010-219	White & Blue	Black
010-221	White	White
010-228	Warm White	White
010-229	White & Blue	White
010-230	Warm White (54) & Warm White Twinkle (6)	White

Non-connectable Cascade/Cord Light String – 3m




3,0 METER STRING (NOT CONNECTABLE)

Input:	230V	No. of strings:	1
LED Quantity:	30 per string	Power Cable:	not included
Length:	3 meter	Carton	
IP Rate:	IP44	Quantity:	6
Power:	2,4 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-111	White	Black
010-118	Warm White	Black
010-121	White	White
010-123	White (27) & White Twinkle (3)	White
010-128	Warm White	White
010-129	Warm White (27) & Warm White Twinkle (3)	White

Non-connectable Cascade Light Strings – in 1,5m and 0,8m


ORDERCODE:	DESCRIPTION	LENGTH	LED QTY	WATT	IP
010-175	0,8m Cascade (end) String 230V, Warm White, White wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-176	0,8m Cascade (end) String 230V, Warm White, Black wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-172	1,5m Cascade (end) String 230V, Warm White, Black wire	2 strings à 1,5m	15 per string	2,4W	IP44
010-171	1,5m Cascade (end) String 230V, Warm White, White wire	2 strings à 1,5m	15 per string	2,4W	IP44



Snowfall Strings and Waterfall Strings

Non-Connectable

Snowfall in 0,6m, 0,9m and 1,2m
Waterfall in 3m and 5m



SNOWFALL STRING (NOT CONNECTABLE)

Input:	230V	No. of strings:	2
LED Color:	White	Power Cable:	not included
Wire Color:	White	Carton	
IP Rate:	IP44	Quantity:	1

ORDERCODE:	LENGTH:	LED QTY:	POWER:
010-180	60cm	60	3,9 Watt
010-181	90cm	90	5,8 Watt
010-182	120cm	120	9,6 Watt


WATERFALL STRING (NOT CONNECTABLE)

Input:	230V	Power Cable:	not included
LED Color:	White	Carton	
Wire Color:	Transparent	Quantity:	1
IP Rate:	IP44		

ORDERCODE:	LENGTH:	LED QTY:	POWER:	NO. STRINGS:
010-190	3m	60	3,9 Watt	2
010-191	5m	100	7,7 Watt	1

Peak Light


Connectable Strings 2m x 0,4m and 2m x 0,8m



PEAK LIGHT 2 METER X 0,4 METER (CONNECTABLE)

Input:	230V	No. of strings:	20
LED Quantity:	76 per set	Power Cable:	not included
Length:	2 m x 0,4 m	Carton	
IP Rate:	IP44	Quantity:	5
Power:	6 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-008	Warm White	Black
006-018	Warm White	White
006-140	White	White
006-028	White (72) + White Twinkle (4)	White
006-112	White & Blue	White



PEAK LIGHT 2 METER X 0,8 METER (CONNECTABLE)

Input:	230V	No. of strings:	20
LED Quantity:	152 per set	Power Cable:	not included
Length:	2 m x 0,8 m	Carton	
IP Rate:	IP44	Quantity:	5
Power:	12 Watt		

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-048	Warm White	Black
006-058	Warm White	White
006-041	White & Blue	White
006-132	White (144) + White Twinkle (8)	White

Accessories

POWER CABLES

Input: 230V
Length: 1,5 meter
IP Rate: IP44
Carton Quantity: 5



ORDERCODE:	DESCRIPTION:	WIRE COLOR:
010-012	EU PLUG 2 AMPERE (6.000 LED)	White
010-013	EU PLUG 2 AMPERE (6.000 LED)	Black
010-020	EU PLUG 5 AMPERE (15.000 LED)	White
010-019	EU PLUG 5 AMPERE (15.000 LED)	Black

EXTENSION CABLES

IP Rate: IP44
Carton Quantity: 5



ORDERCODE:	LENGTH	WIRE COLOR
010-200	0,5 Meter	White
010-201	0,5 Meter	Black
010-202	1 Meter	White
010-203	1 Meter	Black
010-204	2 Meter	White
010-205	2 Meter	Black
010-206	3 Meter	White
010-207	3 Meter	Black
010-208	5 Meter	White
010-209	5 Meter	Black

CONNECTORS

IP Rate: IP44



ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-022	T connector 25cm	White	5
010-023	T connector 25cm	Black	5
010-005	T connector 2pcs retail pack	White	1
010-004	T connector 2pcs retail pack	Black	1
010-007	5 way connector string 1 meter	White	5
010-006	5 way connector string 1 meter	Black	5
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5

CASCADE MAIN CABLES

IP Rate: IP44


ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-115	Main Cable 5 meter with 5 sockets	Black	5
010-113	Main Cable 60cm with 6 sockets	White	5
010-114	Main Cable 60cm with 6 sockets	Black	5
010-105	Main Cable 120cm with 12 sockets	White	4
010-106	Main Cable 120cm with 12 sockets	Black	4
010-107	Main Cable 240cm with 24 sockets	White	2
010-108	Main Cable 240cm with 24 sockets	Black	2
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5



SPECIAL ACCESSORIES

Input: 230V

ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-197	Ropelight Converter - to connect 13mm rope-light, 15cm length, including shrinking tube.	Black	5
010-109	Cone Light CON string with 10 connector strings, each string 30cm length,	Black	5



Ropelight converter connector




Cone Light connector string



Cord Light Introduction


CORD LIGHT PROFESSIONAL

4 types of LED Cord Light Professional:




1. CORD LIGHT REGULAR

Cord Light Regular with 30mm side branch is available in 12 & 24 Volt. The long length makes it perfect for decorating bigger trees. Available for indoor and outdoor use.



2. CORD LIGHT IN-LINE

Cord Light in-line with 5mm LED is available in 12 & 24 Volt. The in-line LED's are perfect to follow branches. Available for indoor and outdoor use.



3. GARLAND CORD LIGHT



Garland Cord Light with 70mm side branch is available for in- and outdoor applications. The extensive length and long side branches are ideal for decorating (bigger) garlandes. Available for indoor and outdoor use.



4. CLIP LIGHT


Clip Light is perfect for decorating larger trees by following the branches.

** LED Clip Light 24V can be cut every 6 LED.*



Note:

Never wind the wire in this way around the branch, the branch will grow and break the wire. Better lead the wire in line with the branch and use a rubber tie tube to keep the wire in place. Never use tie-wrap, as this will kill the tree.




CORD LIGHT 12 VOLT FOR THE PERFECTIONIST:

Available in 30m and in different colors, led distance in 5 and 10cm. It can be cut every 3 LED's. That's why perfectionists love it.

Cord Light Professional Regular



30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - INDOOR USE

LEDs on 30mm side branch - indoor use

Green Wire

Ordercode: 020-008

Code: TRO L-PL-30-100-30-12V WWG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM




Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP20

Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-048

Code: TRO L-PL-30-100-12V WWG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM



Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 BLUE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-022

Code: TRO L-PL-30-100-12V BG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Blue

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM


Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 RED LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-004

Code: TRO L-PL-30-100-12V RG

Input: 12 Volt

Power: 18 Watt

LED/Bulb Color: Red

LED/Bulb Quantity: 300

LED Distance: 10CM

Cutting Distance: 30CM


Max. Meters to connect in one line: 30 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-021

Code: TRO L-PL-63-150-30-24V WG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM

Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5


Cord Light Professional Regular

24V CORD LIGHT 63 METER IS POPULAR
FOR LARGE TREE DECORATION



Cord Light Professional

30mm branches



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-018

Code: TRO L-PL-63-150-30-24V WWG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM


Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE & BLUE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-112

Code: TRO L-PL-63-150-30-WBG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: White and Blue

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM



Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 348 WARM WHITE AND 62 TWINKLE WW LEDS - OUTDOOR

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-068

Code: TRO L-PLT-63-150-30-24V WWG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM

Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44


Carton Quantity: 5



Cord Light Professional In-Line



In line



12V CORD LIGHT 30 METER WITH 600 WHITE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-011
Code: TRO L-PL-30-50-12V WT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 30 METER WITH 600 BLUE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-012
Code: TRO L-PL-30-50-12V BT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode: 020-001
Code: TRO L-PL-60-100-12V WT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs placed in line - indoor use

Transparent Wire


Ordercode: 020-002
Code: TRO L-PL-60-100-12V BT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



TREE DECORATED WITH CORD LIGHT PROFESSIONAL IN-LINE OUTDOOR (SEE NEXT PAGE). PERFECT TO FOLLOW BRANCHES.

Cord Light Professional In-Line




24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use
Green Wire

Ordercode: 025-011
Code: TRO L-PL-63-150-24V WG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5




24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use
Green Wire

Ordercode: 025-008
Code: TRO L-PL-63-150-24V WWG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional Garland Indoor




24V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use
Green Wire

Ordercode: 026-011
Code: TRO L-PL-60-100-70-24V WGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5




24V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use
Green Wire

Ordercode: 026-012
Code: TRO L-PL-60-100-70-24V BGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



24V CORD LIGHT 60 METER WITH 600 AMBER LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use
Green Wire


Ordercode: 026-016
Code: TRO L-PL-60-100-70-24V AGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Amber
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

Cord Light Professional Garland Outdoor



70mm branches



24V CORD LIGHT 60 METER WITH 600 WHITE LEDs - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-001

Code: TRO L-PL-60-100-70-24V WG

Input: 24 Volt

Power: 36 Watt

LED/Bulb Color: White

LED/Bulb Quantity: 600

LED Distance: 10CM

Cutting Distance: 60CM


Max. Meters to connect in one line: 60 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 BLUE LEDs - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-002

Code: TRO L-PL-60-100-70-24V BG

Input: 24 Volt

Power: 36 Watt

LED/Bulb Color: Blue

LED/Bulb Quantity: 600

LED Distance: 10CM

Cutting Distance: 60CM


Max. Meters to connect in one line: 60 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 AMBER LEDs - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-006

Code: TRO L-PL-60-100-70-24V AG

Input: 24 Volt

Power: 36 Watt

LED/Bulb Color: Amber

LED/Bulb Quantity: 600

LED Distance: 10CM

Cutting Distance: 60CM


Max. Meters to connect in one line: 60 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

Cord Light Professional Clip Light



24V LED CLIP LIGHT 63 METER WITH 420 WARM WHITE LEDs - OUTDOOR USE

Based on Clip Light - outdoor use

Green Wire

Ordercode: 025-108

Code: TRO L-CL63-150-24V WWG

Input: 24 Volt

Power: 25 Watt

LED/Bulb Color: Warm White

LED/Bulb Quantity: 420

LED Distance: 15CM

Cutting Distance: 90CM

Max. Meters to connect in one line: 63 Meter

Wire Color: Green

IP Rate: IP44

Carton Quantity: 5

Cord Light Professional Accessories



DIVIDER 2 WAY, 1 MALE TO 2 FEMALE

5 pieces in bag, price pro 5 pieces

Ordercode: 535-005
Code: TRO CDL-2W

IP Rate: IP44
Carton Quantity: 1



DIVIDER 5 WAY, 1 MALE TO 5 FEMALE

2 pieces in bag, price pro 2 pieces

Ordercode: 535-020
Code: TRO CDL-5W

IP Rate: IP44
Carton Quantity: 1



EXTENSION CABLE 4 METER, BETWEEN POWER SUPPLY AND DIVIDER

2 pieces in bag, price pro 2 pieces

Ordercode: 535-025
Code: TRO EXT-4M

IP Rate: IP44
Carton Quantity: 1



MALE CONNECTOR 4MM RED

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-030
Code: TRO AMP-M-4MM R

IP Rate: IP44
Carton Quantity: 1



MALE CONNECTOR 4MM BLACK

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-031
Code: TRO AMP-M-4MM B

IP Rate: IP44
Carton Quantity: 1

Cord Light Professional Accessories



AMP CONNECTOR 2.3MM

to fix max. 4 cordlight together
100 pieces in a bag, price pro 100 pieces

Ordercode: 535-050
Code: TRO AMP-CON-2.3MM

IP Rate: IP44
Carton Quantity: 1



AMP CONNECTOR 4.2MM

to fix max. 8 cordlight together
25 pieces in a bag, price pro 25 pieces

Ordercode: 535-051
Code: TRO AMP-CON-4.2MM

IP Rate: IP44
Carton Quantity: 1



ELASTIC TIE TUBE 50 METER TO PROTECT THE TREE BRANCHES

Ordercode: 535-090
Code: TRO TT-50M

IP Rate: IP44
Carton Quantity: 1



POWER SUPPLY 12V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-310
Code: TRO SPS-30-30W
Input: 230V
Power: 30 Watt
Length: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 12V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-311
Code: TRO SPS-12-60W
Input: 230V
Power: 60 Watt
Length: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories



POWER SUPPLY 12V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-312
Code: TRO SPS-12-100W
Input: 230V
Power: 100 Watt
Length: 240mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw and AMP
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 12V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-314
Code: TRO SPS-12-200W
Input: 230V
Power: 200 Watt
Length: 230mm
Width: 130mm

Height: 60mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: 2 x DC Screw and 2 x AMP
IP Rate: IP67
Carton Quantity: 5



POWER SUPPLY 24V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-300
Code: TRO SPS-24-30W
Input: 230V
Power: 30 Watt
Length: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 24V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-301
Code: TRO SPS-24-60W
Input: 230V
Power: 60 Watt
Length: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 24V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-302
Code: TRO SPS-24-100W
Input: 230V
Power: 100 Watt
Length: 240mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw and AMP
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories



POWER SUPPLY 24V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-304

Code: TRO SPS-24-200W

Input: 230V

Power: 200 Watt

Length: 230mm

Width: 130mm

Height: 60mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: 2 x DC Screw
and 2 x AMP

IP Rate: IP67


Carton Quantity: 5

Cord Light Professional



Tree at Tronix headquarters, decorated with art. 025-112

Tree Light 24V & 230V



TREE LIGHT SET WITH 4 STRINGS OF 7.5 METER - EACH STRING 50 WARM WHITE LEDS

Green Rubber - Extension cable (5m) included

For trees up to 4 Meter high

Ordercode: 024-018
Code: TRO L-LP-200-24V WWG
Input: 24V (Transf. Included)
Power: 15,4 Watt
LED Color: Warm White
LED Quantity: 200 LED in total

LED Distance: 15CM
Wire Color: Green
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 25 CAPSULES OF 3 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode: 024-048
Code: TRO LP-25-3-10M-230V
Input: 230V
Power: 9,2 Watt
LED Color: Warm White
LED Quantity: 25 Capsules with 3 LED each

LED Distance: 40CM
Max. to connect: 20 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode: 024-058
Code: TRO LP-50-5-10M-230V WW
Input: 230V
Power: 31 Watt
LED Color: Warm White
LED Quantity: 50 Capsules with 5 LED each

LED Distance: 25CM
Max. to connect: 10 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - White LED

Connectable up to 10 sets

Ordercode: 024-068
Code: TRO LP-50-5-10M-230V W
Input: 230V
Power: 31 Watt
LED Color: White
LED Quantity: 50 Capsules with 5 LED each

LED Distance: 25CM
Max. to connect: 10 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4



TREE LIGHT SET 63 METER ROLL WITH 420 WHITE LED (LP-420 SET)

Green Rubber - White LED

All accessoires included

Ordercode: 024-001
Code: TRO L-LP-420-24V WG
Input: 24V (Transf. Included)
Power: 25 Watt
LED Color: White
LED Quantity: 420 LED

LED Distance: 15CM
Max. to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

Tree Light 24V & 230V



TREE LIGHT SET 63 METER ROLL WITH 420 WARM WHITE LED (LP-420 SET)

Green Rubber - Warm White LED

All accesiores included

Ordercode: 024-002
Code: TRO L-LP-420-24V WWG
Input: 24V (Transf. Included)
Power: 25 Watt
LED Color: Warm White
LED Quantity: 420 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WHITE LED (LP-840 SET)

Green Rubber - White LED

All accesiores included

Ordercode: 024-003
Code: TRO L-LP-840-24V WG
Input: 24V (Transf. Included)
Power: 50 Watt
LED Color: White
LED Quantity: 840 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WARM WHITE LED (LP-840 SET)

Green Rubber - Warm White LED

All accesiores included

Ordercode: 024-004
Code: TRO L-LP-840-24V WWG
Input: 24V (Transf. Included)
Power: 50 Watt
LED Color: Warm White
LED Quantity: 840 LED


LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

Tree Light 24V & 230V



PEAK LIGHT RETAIL SETS

LED & TRADITIONAL



Peak Light offers endless decorating possibilities. It was developed and marketed by Tronix in 2000 and has proved to be a very successful product worldwide. Peak Light, now also commonly known as icicle light, is available in different models, such as with pvc and rubber cable, for indoor and outdoor use and comes in different colors. The different sets can be interconnected, so the possibilities are numerous.


Peak Light



(LED) Peak Light
in retail box.


Connectable Schuko EU power cable included with each set.

Available in 3 sizes:



ACCESSORIES

See chapter Modular Lighting Connection System on P23 for all available Peak Light accessories.




Total 20 Strings - 76 LED

2M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 76	Max. sets to connect: 30	IP Rate: IP44
Power: 6 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-008	TRO L-IPLR-20-76-B WW	Warm White	Black
005-018	TRO L-IPLR-20-76-W WW	Warm White	White
005-112	TRO L-IPLR-20-76-WBW	White & Blue	White
005-140	TRO L-IPLR-20-76-W W T	White & White Twinkle	White




Total 40 Strings - 152 LED

4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP44
Power: 12 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-048	TRO L-IPLR-40-152-B WW	Warm White	Black
005-058	TRO L-IPLR-40-152-W WW	Warm White	White
005-132	TRO L-IPLR-40-152-W BW	White & Blue	White




Total 20 Strings - 152 LED

2M X 80CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP44
Power: 12 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-028	TRO L-IPLR-20-152-B WW	Warm White	Black
005-038	TRO L-IPLR-20-152-W WW	Warm White	White
005-122	TRO L-IPLR-20-152-WBW	White & Blue	White
005-141	TRO L-IPLR-20-152-W W T	White & White Twinkle	White

Peak Light Indoor




Total 20 Strings - 152 LED

2M X 80CM **INDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP20
Power: 12 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
005-028	TRO L-IPLR-20-152-B WW	Warm White	Black

Peak Light Conventional




4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	Bulb Quantity: 152	Max. sets to connect: 10	IP Rate: IP44
Power: 68 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 6
ORDERCODE:	CODE:	BULB COLOR:	WIRE COLOR:
400-021	TRO IPLR-38-40-152B	Clear	Black




CORD LIGHT RETAIL SETS



Cord Light



Strings available in 6M and 10M length:




(LED) Cord Light in retail box.

Connectable (Schuko EU power cable included with each set).
Different sizes for indoor and outdoor available.

ACCESSORIES

See chapter Modular Lighting Connection System on P23 for all available Cord Light accessories.



Total 60 LED

6M **INDOOR** GENERAL SPECIFICATIONS

Input: 230V

LED Quantity: 60

Max. sets to connect: 20

IP Rate: IP20

Power: 5,3 Watt


LED Spacing: 10cm

Power Cable: 1,50M (included)

Carton Quantity: 10

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
015-008	TRO L-PL-60-6M-230V-WW	Warm White	Green
015-058	TRO L-PL-60-6M-230V-W WW	Warm White	White
015-001	TRO L-PL-60-6M-230V-W	White	White
015-002	TRO L-PL-60-6M-230V-B	Blue	Green
015-003	TRO L-PL-60-6M-230V-G	Green	Green
015-004	TRO L-PL-60-6M-230V-R	Red	Green
015-005	TRO L-PL-60-6M-230V-Y	Yellow	Green






Total 60 LED

6M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 60	Max. sets to connect: 20	IP Rate: IP44
Power: 5,3 Watt	LED Spacing: 10cm	Power Cable: 1,50M (included)	Carton Quantity: 10

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
015-018	TRO L-PLR-60-6M-230V-WW	Warm White	Green
015-011	TRO L-PLR-60-6M-230V-W	White	Green
015-012	TRO L-PLR-60-6M-230V-B	Blue	Green
015-013	TRO L-PLR-60-6M-230V-G	Green	Green
015-014	TRO L-PLR-60-6M-230V-R	Red	Green
015-015	TRO L-PLR-60-6M-230V-Y	Yellow	Green




Total 100 LED

10M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 100	Max. sets to connect: 10	IP Rate: IP44
Power: 8 Watt	LED Spacing: 10cm	Power Cable: 1,50M (included)	Carton Quantity: 10

ORDERCODE:	CODE:	LED COLOR:	WIRE COLOR:
015-021	TRO L-PLR-100-10M-230V-W	White	Green
015-028	TRO L-PLR-100-10M-230V-WW	Warm White	Green
015-029	TRO L-PLR-100-10M-230V-WB	White & Blue	White
015-039	TRO L-PLR-100-10M-230V-G-WB	White & Blue	Green
015-024	TRO L-PLR-100-10M-230V-R	Red	Green

LED CORD LIGHT MODULAR LOW VOLTAGE CORD LIGHT SET



FOR OUTDOOR USE

- Easy to use, plug & play system
- Very safe, low voltage 24V
- Connectable at two sides (in and out)
- Create your own light string by choosing length and color





Cord Light Modular 24V Modular



CORDLIGHT 6 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-008

Code: TRO L-PLM-60-6M-24V-WW

Input: 24 Volt

Power: 4,8 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH BLUE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-002

Code: TRO L-PLM-60-6M-24V-B

Input: 24 Volt

Power: 4,8 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH GREEN LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-003

Code: TRO L-PLM-60-6M-24V-G

Input: 24 Volt

Power: 4,8 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH RED LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-004

Code: TRO L-PLM-60-6M-24V-R

Input: 24 Volt

Power: 3 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20



CORDLIGHT 6 METER WITH AMBER LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-005

Code: TRO L-PLM-60-6M-24V-A

Input: 24 Volt

Power: 3 Watt

LED Quantity: 60

LED Space: 10CM

IP Rate: IP44

Carton Quantity: 20

Cord Light Modular 24V Modular



CORDLIGHT 10 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-018
Code: TRO L-PLM-100-10M-24V-WW
Input: 24 Volt
Power: 8 Watt

LED Quantity: 100
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20



EXTENSION CABLE 5 METER

with male and female connector - connectable

Ordercode: 016-050
Code: TRO L-PLM-EXT-5M

IP Rate: IP44
Carton Quantity: 50



2 & 4 WAY DIVIDER

with male and female connector - connectable

2-way:
Ordercode: 016-056
Code: TRO L-PLM-DIV-2W
 4-way:
Ordercode: 016-057
Code: TRO L-PLM-DIV-4W

IP Rate: IP44
Carton Quantity: 50



CONE LIGHT CONNECTOR

10 connector strings, each string 30cm lenght

Ordercode: 016-058
Code: TRO L-PLM-CONE10

IP Rate: IP44
Carton Quantity: 20




POWER SUPPLY 24V

Block Type - Outdoor - Schuko grounded

ORDERCODE:	CODE:	VOLTAGE:	POWER:
215-300	TRO SPS-24-30W	24V	30W
215-301	TRO SPS-24-60W	24V	60W
215-302	TRO SPS-24-100W	24V	100W

Cascade Light




LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - BLACK WIRE

Connectable
for outdoor use

Ordercode: 010-008
Code: TRO L-PLR-26-150-B WW
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3




LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - WHITE WIRE

Connectable
for outdoor use

Ordercode: 010-018
Code: TRO L-PLR-26-150-W WW
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3




LED CASCADE LIGHT 2,6 X 1,5 METER WHITE & BLUE LED - WHITE WIRE

Connectable
for outdoor use

Ordercode: 010-112
Code: TRO L-PLR-26-150-W WB
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3






LED WEB LIGHT 200 X 150CM WITH WARM WHITE LED AND GREEN PVC WIRE

Connectable
for in- / outdoor use

Ordercode: 033-008
Code: TRO L-SNL-156-24V-SGWW
Input: 24V (transformer included)
Power: 17 Watt
LED Quantity: 156

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 8




LED WEB LIGHT 219 X 60CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-018
Code: TRO L-SNLR-176-B
Input: 230V
Power: 18 Watt
LED Quantity: 176

Max. sets to connect: 20
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 250 X 120CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-028
Code: TRO L-SNLR-406-B
Input: 230V
Power: 40 Watt
LED Quantity: 406

Max. sets to connect: 12
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 400 X 200CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-038
Code: TRO L-SNLR-648-B
Input: 230V
Power: 65 Watt
LED Quantity: 648

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 2




LED WEB LIGHT 300 X 300CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode: 033-048
Code: TRO L-SNLR-750-B
Input: 230V
Power: 75 Watt
LED Quantity: 750

Max. sets to connect: 6
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 1

Web Light Conventional




WEB LIGHT 35 X 270 X 180CM WITH CLEAR BULBS AND CONTROLLER WITH 8 PROG.

Connectable
for indoor use

Ordercode: 420-031
Code: TRO SNL-288-CW
Input: 230V
Power: 181 Watt
Bulb Quantity: 288

Power Cable: 1,80 Meter (included)
IP Rate: IP20
Carton Quantity: 1



WEB LIGHT 60 X 219CM WITH 176 BULB


black rubber cable
for in / outdoor use

Ordercode: 420-041
Code: TRO SNLR-176-SB
Input: 230V
Power: 211 Watt
Bulb Quantity: 176

Max. sets to connect: 6
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 8



Round Net Light




ROUND NET LIGHT Ø40~50CM - 24V

for buxus of Ø40~50cm
24V Adaptor included

Ordercode: 017-001
Code: TRO L-BRN-45-24V WW
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter: Included
IP Rate: IP44
Carton Quantity: 10



ROUND NET LIGHT Ø60~75CM - 24V

for buxus of Ø60~75cm
24V Adaptor included


Ordercode: 017-003
Code: TRO L-BRN-65-24V WW
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter: Included
IP Rate: IP44
Carton Quantity: 10



Round Net Light

Snow Bar & Snow Cluster light




SNOWBAR SET 5 X 50CM TUBE

64 LED pro tube - fixed program
Adaptor included

Ordercode: 019-001
Code: TRO SB-50-5-12V
Input: 230V (adaptor included)
Power: 10,5 Watt
LED Quantity: 64 p/tube
LED Color: White

No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 4




SNOWBAR SET 5 X 50CM TUBE

50 SMD LED pro tube - fixed program
Adaptor included

Ordercode: 019-002
Code: TRO
Input: 230V (adaptor included)
Power: 10,5 Watt
LED Quantity: 50 p/tube
LED Color: White

No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 4



SNOWCLUSTER SET 5 X 100CM STRING

128 LED pro cluster - fixed program
Adaptor included

Ordercode: 019-012
Code: TRO SC-100-5-12V
Input: 230V (adaptor included)
Power: 25 Watt
LED Quantity: 128 p/cluster
LED Color: White


No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 10

It is possible to connect several Snow Bar or Cluster sets, but you then need a bigger 12V power supply.



LED CHASY LIGHT OFFERS THE FOLLOWING PROGRAMS:

- | | |
|----------------|------------------|
| 1. Combination | 5. Chasing/Flash |
| 2. In Waves | 6. Slow fade |
| 3. Sequential | 7. Twinkle/Flash |
| 4. Slow Glow | 8. Steady On |




LED CHASY LIGHT 5 METER WHITE TRANSPARENT WIRE

For indoor use

Ordercode: 030-001
Code: TRO L-TW-120-24V-W
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER BLUE TRANSPARENT WIRE

For indoor use

Ordercode: 030-002
Code: TRO L-TW-120-24V-B
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER GREEN TRANSPARENT WIRE

For indoor use

Ordercode: 030-003
Code: TRO L-TW-120-24V-G
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER RED TRANSPARENT WIRE

For indoor use

Ordercode: 030-004
Code: TRO L-TW-120-24V-R
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER YELLOW TRANSPARENT WIRE

For indoor use

Ordercode: 030-005
Code: TRO L-TW-120-24V-Y
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 10 METER WHITE BLACK WIRE

For outdoor use

Ordercode: 030-011
Code: TRO L-TWR-100-10M-W
Input: 230V
Power: 8,5 Watt
LED Quantity: 100

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10






LED CLUSTER LIGHT CHAIN 1,5 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode: 019-100
Code: TRO CLU-192-WW-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 192
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

No controller, steady string
for indoor/outdoor use

Ordercode: 019-106
Code: TRO CLU-288-WW
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode: 019-101
Code: TRO CLU-288-WW-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, PINK LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode: 019-105
Code: TRO CLU-288-P-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Pink

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



Basic Line Conventional

230 VOLT WITH REPLACEABLE PICELLO BULBS
POPULAR INDOOR CHRISTMAS TREE DECORATION



TRADITIONAL LIGHT CHAIN 2,85 METER WITH 10 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-001
Code: TRO MLC-10-230V-CL
Input: 230V
Power: 11,5 Watt
Color: Clear

Bulb Quantity: 10
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 100



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-003
Code: TRO MLC-20-230V-CL
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with white wire
for indoor use

Ordercode: 750-004
Code: TRO MLC-20-230V-CLW
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 8,85 METER WITH 50 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-008
Code: TRO MLC-50-230V-CL
Input: 230V
Power: 30 Watt
Color: Clear

Bulb Quantity: 50
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 40



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 CLEAR BULBS

with green wire
for indoor use

Ordercode: 750-011
Code: TRO MLC-100-230V-CL
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20

Basic Line Conventional



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 MULTI COLOR BULBS

with green wire
for indoor use

Ordercode: 750-013
Code: TRO MLC-100-230V-MC
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20



TRADITIONAL LIGHT CHAIN 16,85 METER WITH 80 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire
for outdoor use

Ordercode: 753-002
Code: TRO MLC-80-24V-IP44-CL
Input: 24V (adaptor included)
Power: 10,8 Watt
Color: Clear

Bulb Quantity: 80
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12



TRADITIONAL LIGHT CHAIN 22,85 METER WITH 120 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire
for outdoor use

Ordercode: 753-003
Code: TRO MLC-120-24V-IP44-CL
Input: 24V (adaptor included)
Power: 11,8 Watt
Color: Clear

Bulb Quantity: 120
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12



CANDLE LIGHT CHAIN 7,2 METER WITH 20 CLEAR BULBS

with 20 clear bulbs
for indoor use

Ordercode: 754-001
Code: TRO CDL-20-230V-IP20
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 30cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 12



CANDLE LIGHT CHAIN 5,3 METER WITH 20 CLEAR BULBS

with 20 clear bulbs
for outdoor use

Ordercode: 754-002
Code: TRO CDL-20-230V-IP44
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 20cm
Power Cable: 1,50 Meter
IP Rate: IP44
Carton Quantity: 12

Basic Line Spare Bulbs



5 SPARE BULB FOR MINI LIGHT 10PCS

Ordercode: 765-007
Code: TRO SPB-24V-48MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 20PCS

Ordercode: 765-006
Code: TRO SPB-12V-83MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 35PCS

Ordercode: 765-005
Code: TRO SPB-7V-93MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 50PCS

Ordercode: 765-004
Code: TRO SPB-5V-120MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 80PCS

Ordercode: 765-002
Code: TRO

Carton Quantity: 400

Basic Line Spare Bulbs



5 SPARE BULB FOR MINI LIGHT 100PCS

Ordercode: 765-001
Code: TRO SPB-2.5V-128MA

Carton Quantity: 400



5 SPARE BULB FOR WEB LIGHT 160PCS

Ordercode: 765-003
Code: TRO SPB-2.4V-52.5MA

Carton Quantity: 400



3 SPARE BULB FOR CANDLE LIGHT 20PCS IND- OOR

Ordercode: 765-008
Code: TRO SPB-12V-3W-E10


Carton Quantity: 400



3 SPARE BULB FOR CANDLE LIGHT 20PCS OUT- DOOR

Ordercode: 765-011
Code: TRO SPB-12V-3W-E10-O

Carton Quantity: 400



LED CORD LIGHT 15 METER WARM WHITE- GREEN WIRE

Connectable
for indoor use

Ordercode: 015-048
Code: TRO PL-150-15M-24V WW
Input: 230V
Power: 15 Watt
LED Quantity: 150

LED spacing: 10cm
Max. sets to connect: n.a.
Power Cable: 1,5M (included)
IP Rate: IP44
Carton Quantity: 10

LED CORD LIGHT 15 METER WARM WHITE IS A PERFECT SET FOR DECORATING A LARGE(R) CHRISTMAS TREE IN HOUSE WITH WARM WHITE LED. EXTRA SAFE WITH LOW VOLTAGE (24 VOLT TRANSFORMER INCLUDED).

Flower Lights



LED FLOWER LIGHT 10 STRINGS BLUE

for indoor use

Ordercode: 035-002
Code: TRO L-FL-10L-B
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Blue

No. of Strings: 10
String Length: 50 cm
IP Rate: IP20
Carton Quantity: 100



LED FLOWER LIGHT 10 STRINGS RED

for indoor use

Ordercode: 035-004
Code: TRO L-FL-10L-R
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Red

No. of Strings: 10
String Length: 51 cm
IP Rate: IP20
Carton Quantity: 100



LED FLOWER LIGHT 10 STRINGS YELLOW

for indoor use

Ordercode: 035-005
Code: TRO L-FL-10L-Y
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Yellow

No. of Strings: 10
String Length: 52 cm
IP Rate: IP20
Carton Quantity: 100



LED FLOWER LIGHT 20 STRINGS WARM WHITE

for indoor use

Ordercode: 035-008
Code: TRO FL-20L-4.5V-WW
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Warm White

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100




LED FLOWER LIGHT 20 STRINGS GREEN

for indoor use

Ordercode: 035-013
Code: TRO FL-20L-4.5V-G
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Green

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100

LED Flower Lights



LED FLOWER LIGHT 20 STRINGS YELLOW

for indoor use

Ordercode: 035-015
Code: TRO FL-20L-3V-Y
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Yellow

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100





SMALL COMET 85 X 45CM WITH WARM WHITE LED

Steel frame

Ordercode: 570-010
Code: TRO L-MT-010 W
Input: 230V
Color: Warm White LED

Dimension: 85 x 45cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 53CM WITH WHITE LED

Steel frame

Ordercode: 570-011
Code: TRO L-MT-020 W
Input: 230V
Color: White LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WHITE LED

Steel frame

Ordercode: 570-016
Code: TRO L-MT-021 W
Input: 230V
Color: White LED

Dimension: 80cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 37CM WITH WHITE LED

Steel frame

Ordercode: 570-021
Code: TRO L-MT-030 W
Input: 230V
Color: White LED

Dimension: 37cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH WHITE LED

Steel frame

Ordercode: 570-026
Code: TRO L-MT-031 W
Input: 230V
Color: White LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH BLUE LED

Steel frame

Ordercode: 570-027
Code: TRO L-MT-031 B
Input: 230V
Color: Blue LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 66CM WITH WHITE LED

Steel frame

Ordercode: 570-031
Code: TRO L-MT-032 W
Input: 230V
Color: White LED

Dimension: 66cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



LED TOWER 150CM OUTDOOR WHITE OR BLUE

White:
Ordercode: 575-090
Code: TRO L-MT-XT-T-150-W
 Blue:
Ordercode: 575-100
Code: TRO L-MT-XT-T-150-B


Input: 230V
Dimension: 150cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 2




LED TOWER 250CM OUTDOOR BLUE

Ordercode: 575-120
Code: TRO L-MT-XT-T-250-B
Input: 230V
Color: Blue

Dimension: 200cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 2





BIG COMET 140 X 105CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-006
Code: TRO L-MT-011
Input: 230V
Color: Warm White LED

Dimension: 140 x 105cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-011
Code: TRO L-MT-025
Input: 230V
Color: Warm White LED

Dimension: 80cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-016
Code: TRO L-MT-027
Input: 230V
Color: Warm White LED

Dimension: 80cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 120CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-021
Code: TRO L-MT-028
Input: 230V
Color: Warm White LED

Dimension: 120cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5





BELT LIGHT RETAIL SET 10 METER WITH 10 SOCKETS

10 Multi Color LED lamps included

Ordercode: 435-011

Code: TRO BLRL-10M-10-E27MC

Length: 10 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 5



BELT LIGHT PROFI SET 20 METER WITH 20 MOULDED SOCKETS

Round rubber cable

Professional set (high quality mounted sockets) to decorate big trees

Because of the high quality of this Belt Light set, this set is the perfect solution to decorate big trees on public places like city centre squares, standing there for many years.

Ordercode: 585-038

Code: TRO BLR-20M-20-E27M

Length: 20 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 4



FLAT CABLE 10 METER INCLUDING 10 SOCKETS E27

Including plug and end cap

Max. to connect 100 meter / Max. load 1.500 Watt

Ordercode: 585-036

Code: TRO FLC-BL-10-10PL

Length: 10 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 5



FLAT CABLE 20 METER INCLUDING 19 SOCKETS E27

Including plug and end cap

Ordercode: 585-037

Code: TRO FLC-BL-20-19PL

Length: 20 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 5



FLAT CABLE 100 METER INCLUDING 100 SOCKETS E27

Including plug and end cap

Ordercode: 585-023

Code: TRO FLC-BL-100-100PL

Length: 100 meter

Cable: 2x1.5mm

IP Rate: IP44

Carton Quantity: 1

Flat Cable & Belt Light



FLAT CABLE 25 METER

Including plug and end cap

Ordercode: 585-020
Code: TRO FLC-BL-25PL

Length: 25 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 4



FLAT CABLE 100 METER

Including plug and end cap

Ordercode: 585-006
Code: TRO FLC-BL-100

Length: 100 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 1



FLAT CABLE LAMP HOLDER E27

20 or 100 pieces holder and rubber rings

Ordercode: 585-025
Code: TRO FLC-LH-E27-20

Ordercode: 585-026
Code: TRO FLC-LH-E27-100

IP Rate: IP44
Carton Quantity: 1 or 5



FLAT CABLE LAMP HOLDER E27 WITH MOUTING HOLES

20 pieces holder and rubber rings

Ordercode: 585-028
Code: TRO FLC-LH-E27E-20

IP Rate: IP44
Carton Quantity: 5



TRADITIONAL FLAME LIGHT 10 PCS E14 230V

Ordercode: 440-015
Code: TRO FLAML-10-E14-230V
Color: Flame
Power: 230V

Wire length: 5,3m
Bulbs p/meter: 2

Traditional Lamps (for Belt Light)

FOR OUR COMPLETE RANGE OF (LED) LAMPS,
PLEASE CHECK OUR COMMERCIAL LIGHTING BROCHURE



P45 CLEAR - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-071
Code: TRO LMP-10-P45-E27 C
Color: Clear
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 BLUE - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-072
Code: TRO LMP-10-P45-E27 B
Color: Blue
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 GREEN - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-073
Code: TRO LMP-10-P45-E27 G
Color: Green
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 RED - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-074
Code: TRO LMP-10-P45-E27 R
Color: Red
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 YELLOW - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-075
Code: TRO LMP-10-P45-E27 Y
Color: Yellow
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

LED Lamps (for Belt Light)



P45 1 WATT CLEAR

With E-27 socket
With high power factor >0,85

Ordercode: 165-010
Code: TRO
Color: Warm White
Power: 2 Watt
Beam: 190°
LED Quantity: 30pcs x SMD

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT CLEAR

With E-27 socket

Ordercode: 165-000
Code: TRO L-P45-6L-E27-CL
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1,7 WATT CLEAR

With E-27 socket

Ordercode: 165-009
Code: TRO L-P45-10L-E27-CLEAR
Color: Warm White
Power: 1,7 Watt
Beam: 190°
LED Quantity: 10

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WHITE

With E-27 socket

Ordercode: 165-001
Code: TRO L-P45-6L-E27-W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT BLUE

With E-27 socket

Ordercode: 165-002
Code: TRO L-P45-6L-E27-B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT GREEN

With E-27 socket

Ordercode: 165-003
Code: TRO L-P45-6L-E27-G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT RED

With E-27 socket

Ordercode: 165-004
Code: TRO L-P45-6L-E27-R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT YELLOW

With E-27 socket

Ordercode: 165-005
Code: TRO L-P45-6L-E27-Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WARM WHITE

With E-27 socket

Ordercode: 165-008
Code: TRO L-P45-6L-E27-WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT CLEAR

With B-22 socket

Ordercode: 165-020
Code: TRO L-P45-6L-B22-CL
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)



P45 1 WATT WHITE

With B-22 socket

Ordercode: 165-021
Code: TRO L-P45-6L-B22-W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT BLUE

With B-22 socket

Ordercode: 165-022
Code: TRO L-P45-6L-B22-B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT GREEN

With B-22 socket

Ordercode: 165-023
Code: TRO L-P45-6L-B22-G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT RED

With B-22 socket

Ordercode: 165-024
Code: TRO L-P45-6L-B22-R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT YELLOW

With B-22 socket

Ordercode: 165-025
Code: TRO L-P45-6L-B22-Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WARM WHITE

With B-22 socket

Ordercode: 165-028
Code: TRO L-P45-6L-B22-WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT WHITE - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-011
Code: TRO P50-10L-E27 W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT BLUE - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-012
Code: TRO P50-10L-E27 B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT GREEN - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-013
Code: TRO P50-10L-E27 G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT RED - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-014
Code: TRO P50-10L-E27 R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)



P50 1 WATT YELLOW - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-015

Code: P50-10L-E27 Y

Color: Yellow

Power: 1 Watt

Beam: 190°

LED Quantity: 10

Length: 83 mm

Diameter: 50 mm

Connection Type: E27

Dimmable: No

IP Rate: IP20

Carton Quantity: 100



P50 1 WATT WARM WHITE - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-018

Code: TRO P50-10L-E27 WW

Color: Warm White

Power: 1 Watt

Beam: 190°

LED Quantity: 10

Length: 83 mm

Diameter: 50 mm

Connection Type: E27

Dimmable: No

IP Rate: IP20

Carton Quantity: 100



A60 1 WATT RGB - 7 COLOUR CHANGING

Fixed color changing program

Ordercode: 180-009

Code: TRO L-A60-12L-E27-MC

Color: RGB

Power: 1 Watt

Beam: 120°

LED Quantity: 12

Length: 104 mm

Diameter: 60 mm

Connection Type: E27

Dimmable: No

IP Rate: IP20

Carton Quantity: 100



The advantages of LED Decorative Christmas Lights

In the past, Christmas lights were incandescent bulbs encased in painted glass. They were large, burned hot, broke easily and flaked with age. Often when one bulb was broken, the entire string failed to light. Today's Christmas lights use LED-light emitting diodes-light bulbs. There are many benefits to using LED bulbs as opposed to incandescent bulbs.

LOWER COST

LED Christmas lights demand far less electricity to operate than their incandescent counterparts---they cost almost 90% less to operate.

EASIER STORAGE

Due to the durability of LED Christmas lights, they are very easy to wrap up and store for later use. Worries of bulb breakage are no longer a concern. The bulbs withstand abuse and moisture without deleterious effects.

VARIETY

LED Christmas lights are available in various sizes and styles. The miniature size of LED's has opened the door to a much higher variety of colors – including beautiful, warm white – and many new applications such as cluster lighting and animation effects like twinkling, snowfall or waterfall, adding up to the amazing lighting results of our Modular Lighting Connection System.

SAFETY

LED lights do not heat up. They are far safer and don't cause fires. The older incandescent bulbs gave off most of their energy in the form of heat. This meant a higher risk of fire during the Christmas season.

LONGEVITY

Because LED lights do not burn hot, they last an extremely long time. Also, because they do not contain delicate filaments, LED lights can withstand light impact without breaking. When they are properly taken care of, LED Christmas lights will last for years.

WEATHERPROOF

LED Christmas lights function just as well outdoors as they do indoors. They are constructed in such a way that they are impervious to moisture, heat and cold.

BRIGHTER

LED Christmas lights are brighter than lights of the past. In addition, the brightness of these lights does not fade that much over time.



Tronix showroom decorative Christmas Lighting in Uden, The Netherlands



Tronix showroom decorative Christmas Lighting in Uden, The Netherlands

Index

TRO code	code	page	TRO code	code	page
● 005-008	TRO L-IPLR-20-76-B WW	39	● 010-118	TRO STR3M-E-B WW	22
● 005-018	TRO L-IPLR-20-76-W WW	39	● 010-121	TRO STR3M-E-W W	22
● 005-028	TRO L-IPLR-20-152-B WW	40	● 010-123	TRO STR3M-E-W W T	22
● 005-038	TRO L-IPLR-20-152-W WW	40	● 010-128	TRO STR3M-E-W WW	22
● 005-048	TRO L-IPLR-40-152-B WW	39	● 010-129	TRO STR3M-E-W WW T	22
● 005-058	TRO L-IPLR-40-152-W WW	39	● 010-151	TRO STR10M-C-B W	22
● 005-068	TRO L-IPLR-20-152-B WW	40	● 010-152	TRO STR10M-C-B B	22
● 005-112	TRO L-IPLR-20-76-WBW	39	● 010-154	TRO STR10M-C-B R	22
● 005-122	TRO L-IPLR-20-152-WBW	40	● 010-158	TRO STR10M-C-B WW	22
● 005-132	TRO L-IPLR-40-152-W BW	39	● 010-161	TRO STR10M-C-W W	22
● 005-140	TRO L-IPLR-20-76-W W T	39	● 010-165	TRO STR10M-C-B WW T	22
● 005-141	TRO L-IPLR-20-152-W W T	40	● 010-166	TRO STR10M-C-W WB	22
● 006-008	TRO L-PEAKM-20-76-B WW	23	● 010-167	TRO STR10M-C-B WB	22
● 006-018	TRO L-PEAKM-20-76-W WW	23	● 010-168	TRO STR10M-C-W WW	22
● 006-028	TRO L-PEAKM-20-76-W W T	23	● 010-169	TRO STR10M-C-W WW T	22
● 006-041	TRO L-PEAKM-20-152-W WB	23	● 010-171	TRO STR1.5M-E-B WW	22
● 006-048	TRO L-PEAKM-20-152-B WW	23	● 010-172	TRO STR1.5M-E-W WW	22
● 006-058	TRO L-PEAKM-20-152-W WW	23	● 010-175	TRO STR0.8M-E-W WW	22
● 006-112	TRO L-PEAKM-20-76-W WB	23	● 010-176	TRO STR0.8M-E-B WW	22
● 006-132	TRO L-PEAKM-20-152-W W T	23	● 010-180	TRO STR-SF60-E-W W	23
● 006-140	TRO L-PEAKM-20-76-W W	23	● 010-181	TRO STR-SF90-E-W W	23
● 010-004	TRO L-T-CON-RUB B	24	● 010-182	TRO STR-SF120-E-W W	23
● 010-005	TRO L-T-CON-RUB W	24	● 010-188	TRO L-R-CON-RUB W	24
● 010-006	TRO L-5-WAY-CON B	24	● 010-189	TRO L-R-CON-RUB B	24
● 010-007	TRO L-5-WAY-CON W	24	● 010-190	TRO STR-WF3M	23
● 010-008	TRO L-PLR-26-150-B WW	48	● 010-191	TRO STR-WF5M	23
● 010-012	TRO L-PC-1.5M W	24	● 010-197	TRO CONV-ROPE	24
● 010-013	TRO L-PC-1.5M B	24	● 010-200	TRO L-EXTCB-0.5M W	24
● 010-018	TRO L-PLR-26-150-W WW	48	● 010-201	TRO L-EXTCB-0.5M B	24
● 010-019	TRO L-PC-1.5M 5AM B	24	● 010-202	TRO L-EXTCB-1M W	24
● 010-020	TRO L-PC-1.5M 5AM W	24	● 010-203	TRO L-EXTCB-1M B	24
● 010-022	TRO L-T-CON-25 W	24	● 010-204	TRO L-EXTCB-2M W	24
● 010-023	TRO L-T-CON-25 B	24	● 010-205	TRO L-EXTCB-2M B	24
● 010-105	TRO MC-12S W	24	● 010-206	TRO L-EXTCB-3M W	24
● 010-106	TRO MC-12S B	24	● 010-207	TRO L-EXTCB-3M B	24
● 010-107	TRO MC-24S W	24	● 010-208	TRO L-EXTCB-5M W	24
● 010-108	TRO MC-24S B	24	● 010-209	TRO L-EXTCB-5M B	24
● 010-109	TRO MC-CONE-10S B	24	● 010-211	TRO STR6M-C-B W	22
● 010-111	TRO STR3M-E-B W	22	● 010-212	TRO STR6M-C-B B	22
● 010-112	TRO L-PLR-26-150-W WB	48	● 010-213	TRO STR6M-C-B G	22
● 010-113	TRO MC-6S W	24	● 010-214	TRO STR6M-C-B R	22
● 010-114	TRO MC-6S B	24	● 010-215	TRO STR6M-C-B Y	22
● 010-115	TRO MC-5S5M B	24	● 010-218	TRO STR6M-C-B WW	22

Index

TRO code	code	page	TRO code	code	page
010-219	TRO STR6M-C-B WB	22	020-001	TRO L-PL-60-100-12V WT	29
010-221	TRO STR6M-C-W W	22	020-002	TRO L-PL-60-100-12V BT	29
010-228	TRO STR6M-C-W WW	22	020-008TRO	L-PL-30-100-30-12V WWG	27
010-229	TRO STR6M-C-W WB	22	020-011	TRO L-PL-30-50-12V WT	29
010-230	TRO STR6M-C-W WW T	22	020-012	TRO L-PL-30-50-12V BT	29
015-001	TRO L-PL-60-6M-230V-W	43	024-001	TRO L-LP-420-24V WG	36
015-002	TRO L-PL-60-6M-230V-B	43	024-002	TRO L-LP-420-24V WWG	37
015-003	TRO L-PL-60-6M-230V-G	43	024-003	TRO L-LP-840-24V WG	37
015-004	TRO L-PL-60-6M-230V-R	43	024-004	TRO L-LP-840-24V WWG	37
015-005	TRO L-PL-60-6M-230V-Y	43	024-018	TRO L-LP-200-24V WWG	36
015-008	TRO L-PL-60-6M-230V-WW	43	024-048	TRO LP-25-3-10M-230V	36
015-011	TRO L-PLR-60-6M-230V-W	44	024-058	TRO LP-50-5-10M-230V WW	36
015-012	TRO L-PLR-60-6M-230V-B	44	024-068	TRO LP-50-5-10M-230V W	36
015-013	TRO L-PLR-60-6M-230V-G	44	025-004	TRO L-PL-30-100-12V RG	27
015-014	TRO L-PLR-60-6M-230V-R	44	025-008	TRO L-PL-63-150-24V WWG	30
015-015	TRO L-PLR-60-6M-230V-Y	44	025-011	TRO L-PL-63-150-24V WG	30
015-018	TRO L-PLR-60-6M-230V-WW	44	025-018	TRO L-PL-63-150-30-24V WWG	28
015-021	TRO L-PLR-100-10M-230V-W	44	025-021	TRO L-PL-63-150-30-24V WG	27
015-024	TRO L-PLR-100-10M-230V-R	44	025-022	TRO L-PL-30-100-12V BG	27
015-028	TRO L-PLR-100-10M-230V-WW	44	025-048	TRO L-PL-30-100-12V WWG	27
015-029	TRO L-PLR-100-10M-230V-WB	44	025-068TRO	L-PLT-63-150-30-24V WWG	28
015-039TRO	L-PLR-100-10M-230V-G-WB	44	025-108	TRO L-CL63-150-24V WWG	31
015-048	TRO PL-150-15M-24V WW	59	025-112	TRO L-PL-63-150-30-WBG	28
015-058	TRO L-PL-60-6M-230V-W WW	43	026-001	TRO L-PL-60-100-70-24V WG	31
016-002	TRO L-PLM-60-6M-24V-B	46	026-002	TRO L-PL-60-100-70-24V BG	31
016-003	TRO L-PLM-60-6M-24V-G	46	026-006	TRO L-PL-60-100-70-24V AG	31
016-004	TRO L-PLM-60-6M-24V-R	46	026-011	TRO L-PL-60-100-70-24V WGI	30
016-005	TRO L-PLM-60-6M-24V-A	46	026-012	TRO L-PL-60-100-70-24V BGI	30
016-008	TRO L-PLM-60-6M-24V-WW	46	026-016	TRO L-PL-60-100-70-24V AGI	30
016-018	TRO L-PLM-100-10M-24V-WW	47	030-001	TRO L-TW-120-24V-W	53
016-050	TRO L-PLM-EXT-5M	47	030-002	TRO L-TW-120-24V-B	53
016-056	TRO L-PLM-DIV-2W	47	030-003	TRO L-TW-120-24V-G	53
016-057	TRO L-PLM-DIV-4W	47	030-004	TRO L-TW-120-24V-R	53
016-058	TRO L-PLM-CONE10	47	030-005	TRO L-TW-120-24V-Y	54
017-001	TRO L-BRN-45-24V WW	51	030-011	TRO L-TWR-100-10M-W	54
017-003	TRO L-BRN-65-24V WW	51	033-008	TRO L-SNLR-156-24V-SGWW	49
019-001	TRO SB-50-5-12V	52	033-018	TRO L-SNLR-176-B	49
019-002	TRO SB-50-5-12V SMD (50)	52	033-028	TRO L-SNLR-406-B	49
019-012	TRO SC-100-5-12V	52	033-038	TRO L-SNLR-648-B	49
019-100	TRO CLU-192-WW-C	55	033-048	TRO L-SNLR-750-B	49
019-101	TRO CLU-288-WW-C	55	035-002	TRO L-FL-10L-B	60
019-105	TRO CLU-288-P-C	55	035-004	TRO L-FL-10L-R	60
019-106	TRO CLU-288-WW	55	035-005	TRO L-FL-10L-Y	60

Index

TRO code	code	page	TRO code	code	page
035-008	TRO FL-20L-4.5V-WW	60	165-011	TRO P50-10L-E27 W	71
035-013	TRO FL-20L-4.5V-G	60	165-012	TRO P50-10L-E27 B	71
035-015	TRO FL-20L-3V-Y	61	165-013	TRO P50-10L-E27 G	71
045-001	TRO L-DL-2W-15M-12V-W	3	165-014	TRO P50-10L-E27 R	71
045-002	TRO L-DL-2W-15M-12V-B	3	165-015	TRO P50-10L-E27 Y	72
045-003	TRO L-DL-2W-15M-12V-G	3	165-018	TRO P50-10L-E27 WW	72
045-004	TRO L-DL-2W-15M-12V-R	3	165-020	TRO L-P45-6L-B22-CL	69
045-005	TRO L-DL-2W-15M-12V-Y	4	165-021	TRO L-P45-6L-B22-W	70
045-008	TRO L-DL-2W-15M-12V-WW	3	165-022	TRO L-P45-6L-B22-B	70
050-001	TRO L-DL-2W-30M-24V-W	4	165-023	TRO L-P45-6L-B22-G	70
050-002	TRO L-DL-2W-30M-24V-B	4	165-024	TRO L-P45-6L-B22-R	70
050-003	TRO L-DL-2W-30M-24V-G	4	165-025	TRO L-P45-6L-B22-Y	70
050-004	TRO L-DL-2W-30M-24V-R	5	165-028	TRO L-P45-6L-B22-WW	71
050-005	TRO L-DL-2W-30M-24V-Y	5	180-009	TRO L-A60-12L-E27-MC	72
050-008	TRO L-DL-2W-30M-24V-WW	4	214-007	TRO L-CNTR-DL-3W 8	15
055-000	TRO L-DL-2W-51M-230V-MC	7	215-300	TRO SPS-24-30W	34, 47
055-001	TRO L-DL-2W-51M-230V-W	5	215-301	TRO SPS-24-60W	34, 47
055-002	TRO L-DL-2W-51M-230V-B	6	215-302	TRO SPS-24-100W	34, 47
055-003	TRO L-DL-2W-51M-230V-G	6	215-304	TRO SPS-24-200W	35
055-004	TRO L-DL-2W-51M-230V-R	6	215-310	TRO SPS-30-30W	33
055-005	TRO L-DL-2W-51M-230V-Y	6	215-311	TRO SPS-12-60W	33
055-008	TRO L-DL-2W-51M-230V-WW	6	215-312	TRO SPS-12-100W	34
055-051	TRO L-ML-2W-51M-230V-W	5	215-314	TRO SPS-12-200W	34
055-058	TRO L-ML-2W-51M-230V-WW	5	400-021	TRO IPLR-38-40-152B	41
055-101	TRO L-HL-2W-50M-230V-W	7	420-031	TRO SNL-288-CW	50
055-108	TRO L-HL-2W-50M-230V-WW	7	420-041	TRO SNLR-176-SB	50
060-001	TRO L-DL-3W-99M-230V-W	8	435-011	TRO BLRL-10M-10-E27MC	65
060-002	TRO L-DL-3W-99M-230V-B	8	440-015	TRO FLAML-10-E14-230V	66
060-003	TRO L-DL-3W-99M-230V-G	8	465-030	TRO ML-2W-6	17
060-004	TRO L-DL-3W-99M-230V-R	8	465-035	TRO ML-2W-8	17
060-005	TRO L-DL-3W-99M-230V-Y	8	470-001	TRO DL-2W-45M12VCL	9
065-005	TRO L-DLG-2W-1-6-3.5	12	475-001	TRO DL-2W-45M24VCL	9
065-010	TRO L-DLG-2W-12/24V	12	480-019	TRO DL-2W-9M-230V-CL	9
065-015	TRO L-MLG-2W-1-6-2.5	17	480-020	TRO DL-2W-15M-230V-CL	9
165-000	TRO L-P45-6L-E27-CL	68	480-030	TRO DL-2W-45M-230VCL	9
165-001	TRO L-P45-6L-E27-W	68	480-035	TRO DL-2W-45M-230VBL	10
165-002	TRO L-P45-6L-E27-B	68	480-040	TRO DL-2W-45M-230VGR	10
165-003	TRO L-P45-6L-E27-G	69	480-045	TRO DL-2W-45M-230VRD	10
165-004	TRO L-P45-6L-E27-R	69	480-050	TRO DL-2W-45M-230VYE	10
165-005	TRO L-P45-6L-E27-Y	69	480-055	TRO DL-2W-45M-230VOR	11
165-008	TRO L-P45-6L-E27-WW	69	480-060	TRO DL-2W-45M-230VMC	10
165-009	TRO L-P45-10L-E27-CLEAR	68	480-075	TRO DL-2W-45M-230VMW	11
165-010	TRO L-P45-30SMD-E27-WW	68	485-010	TRO DL-2W-1-6'-3.5	13

Index

TRO code	code	page	TRO code	code	page
● 485-015	TRO DLG-2W-1-6'-3.5 GLUE	12	● 580-021	TRO L-MT-028	64
● 485-020	TRO DLG-2W-1-6-3.5 BULK	12	● 585-006	TRO FLC-BL-100	66
● 485-025	TRO DLG-2W-1-15'-3.5	12	● 585-020	TRO FLC-BL-25PL	66
● 485-050	TRO DL-2W-CON-2	13	● 585-023	TRO FLC-BL-100-100PL	65
● 485-055	TRO DL-2W-GLBT	13	● 585-025	TRO FLC-LH-E27-20	66
● 485-060	TRO DL-2W-8-25	13	● 585-026	TRO FLC-LH-E27-100	66
● 485-070	TRO DL-2W-5-25	13	● 585-028	TRO FLC-LH-E27E-20	66
● 485-085	TRO DL-2W-7-H	14	● 585-036	TRO FLC-BL-10-10PL	65
● 485-090	TRO DL-2W-4M	14	● 585-037	TRO FLC-BL-20-19PL	65
● 485-100	TRO DL-2W-6	14	● 585-038	TRO BLR-20M-20-E27M	65
● 485-105	TRO DL-2W-TCE	14	● 590-071	TRO LMP-10-P45-E27 C	67
● 485-110	TRO DL-2W-XCE	14	● 590-072	TRO LMP-10-P45-E27 B	67
● 485-113	TRO DL-2W-HSTGL-20x4	15	● 590-073	TRO LMP-10-P45-E27 G	67
● 485-116	TRO DL-2W-HSTGL-20X4B	15	● 590-074	TRO LMP-10-P45-E27 R	67
● 485-160	TRO DL-2W-CH-PVC	11	● 590-075	TRO LMP-10-P45-E27 Y	67
● 485-165	TRO DL-2W-CH-PET	11	● 750-001	TRO MLC-10-230V-CL	56
● 485-170	TRO DL-2W-CH-ALU	11	● 750-003	TRO MLC-20-230V-CL	56
● 495-005	TRO DLG-3W-1-3M-FF	15	● 750-004	TRO MLC-20-230V-CLW	56
● 495-010	TRO DL-3W-4	16	● 750-008	TRO MLC-50-230V-CL	56
● 495-015	TRO DL-3W-4M	16	● 750-011	TRO MLC-100-230V-CL	56
● 495-020	TRO DL-3W-7	16	● 750-013	TRO MLC-100-230V-MC	57
● 495-035	TRO DL-3W-XCE	16	● 753-002	TRO MLC-80-24V-IP44-CL	57
● 535-005	TRO CDL-2W	32	● 753-003	TRO MLC-120-24V-IP44-CL	57
● 535-020	TRO CDL-5W	32	● 754-001	TRO CDL-20-230V-IP20	57
● 535-025	TRO EXT-4M	32	● 754-002	TRO CDL-20-230V-IP44	57
● 535-030	TRO AMP-M-4MM R	32	● 765-001	TRO SPB-2.5V-128MA	59
● 535-031	TRO AMP-M-4MM B	32	● 765-002	TRO SPB-2,5V-150MA	58
● 535-050	TRO AMP-CON-2.3MM	33	● 765-003	TRO SPB-2.4V-52.5MA	59
● 535-051	TRO AMP-CON-4.2MM	33	● 765-004	TRO SPB-5V-120MA	58
● 535-090	TRO TT-50M	33	● 765-005	TRO SPB-7V-93MA	58
● 545-005	TRO SL-2DL-212A	15	● 765-006	TRO SPB-12V-83MA	58
● 570-010	TRO L-MT-010 W	62	● 765-007	TRO SPB-24V-48MA	58
● 570-011	TRO L-MT-020 W	62	● 765-008	TRO SPB-12V-3W-E10	59
● 570-016	TRO L-MT-021 W	62	● 765-011	TRO SPB-12V-3W-E10-O	59
● 570-021	TRO L-MT-030 W	62			
● 570-026	TRO L-MT-031 W	62			
● 570-027	TRO L-MT-031 B	63			
● 570-031	TRO L-MT-032 W	63			
● 575-090	TRO L-MT-XT-T-150-W	63			
● 575-120	TRO L-MT-XT-T-250-B	63			
● 580-006	TRO L-MT-011	64			
● 580-011	TRO L-MT-025	64			
● 580-016	TRO L-MT-027	64			



Tronix uses different connector types:



Striped wire



Schuko grounded
CEE 7/7



Schuko ungrounded
CEE 7/17



Euro plug
CEE 7/16



UK plug
BS 1363



Swiss plug
SEV 1011